

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R5/505	BEDROOM	W5/505	34.34	3.78	3.78
R6/505	BEDROOM	W6/505	33.64	3.79	3.79
R7/505	KITCHEN	W7/505	28.89	2.00	2.00
R8/505	LD	W8/505	16.48	2.52	2.52
R9/505	BEDROOM	W9/505	29.39	3.27	3.27
R10/505	BEDROOM	W10/505	33.28	3.83	3.83
R11/505	BEDROOM	W11/505	33.59	4.77	4.77
R12/505	LD	W12/505	32.85	4.12	
R12/505	LD	W13/505	18.84	2.41	6.53
R13/505	KITCHEN	W14/505	32.64	1.99	1.99
R14/505	KITCHEN	W15/505	33.91	1.99	1.99
R15/505	LD	W16/505	33.44	4.18	
R15/505	LD	W17/505	13.54	2.00	6.18
R16/505	BEDROOM	W18/505	23.90	3.69	3.69
R17/505	BEDROOM	W19/505	25.92	3.09	3.09
R18/505	BEDROOM	W20/505	25.50	3.04	3.04
R19/505	BEDROOM	W21/505	24.41	3.00	3.00
R20/505	BEDROOM	W22/505	21.99	2.78	2.78
R21/505	KITCHEN	W23/505	15.37	1.29	1.29
R22/505	LD	W24/505	12.15	2.10	2.10
R23/505	LD	W25/505	12.36	2.10	2.10
R24/505	KITCHEN	W26/505	14.97	1.27	1.27
R25/505	BEDROOM	W27/505	23.10	2.89	2.89
R26/505	BEDROOM	W28/505	24.98	3.06	3.06

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R27/505	BEDROOM	W29/505	25.51	3.03	3.03
R28/505	BEDROOM	W30/505	25.10	3.06	3.06
R29/505	LIVINGROOM	W31/505	13.06	2.45	
R29/505	LIVINGROOM	W32/505	29.16	1.21	3.66
R30/505	KD	W33/505	30.15	3.39	3.39
R31/505	LKD	W34/505	29.01	1.66	
R31/505	LKD	W35/505	28.47	1.65	
R31/505	LKD	W36/505	17.72	1.87	5.18
R32/505	BEDROOM	W37/505	33.02	3.77	3.77
R1/506	LD	W1/506	37.24	5.17	5.17
R2/506	KITCHEN	W2/506	37.14	2.38	2.38
R3/506	BEDROOM	W3/506	37.05	4.09	4.09
R4/506	BEDROOM	W4/506	36.96	4.00	4.00
R5/506	BEDROOM	W5/506	36.88	3.99	3.99
R6/506	BEDROOM	W6/506	36.81	4.06	4.06
R7/506	KITCHEN	W7/506	36.71	2.37	2.37
R8/506	LD	W8/506	36.68	5.11	5.11
R9/506	BEDROOM	W9/506	36.54	3.92	3.92
R10/506	BEDROOM	W10/506	36.48	4.11	4.11
R11/506	BEDROOM	W11/506	36.43	5.07	5.07
R12/506	LD	W12/506	36.44	4.52	
R12/506	LD	W13/506	35.76	4.30	8.82
R13/506	KITCHEN	W14/506	35.67	2.07	2.07
R14/506	KITCHEN	W15/506	35.55	2.05	2.05

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R15/506	LD	W16/506	35.59	4.42	
R15/506	LD	W17/506	27.50	3.49	7.91
R16/506	BEDROOM	W18/506	27.15	4.01	4.01
R17/506	BEDROOM	W19/506	26.71	3.14	3.14
R18/506	BEDROOM	W20/506	26.09	3.08	3.08
R19/506	BEDROOM	W21/506	25.09	3.04	3.04
R20/506	BEDROOM	W22/506	24.25	2.96	2.96
R21/506	KITCHEN	W23/506	23.91	1.66	1.66
R22/506	LD	W24/506	24.23	3.42	3.42
R23/506	LD	W25/506	24.69	3.47	3.47
R24/506	KITCHEN	W26/506	25.08	1.75	1.75
R25/506	BEDROOM	W27/506	25.98	3.12	3.12
R26/506	BEDROOM	W28/506	26.30	3.15	3.15
R27/506	BEDROOM	W29/506	26.93	3.13	3.13
R28/506	BEDROOM	W30/506	27.13	3.21	3.21
R29/506	LIVINGROOM	W31/506	27.61	4.39	
R29/506	LIVINGROOM	W32/506	34.42	1.35	5.74
R30/506	KD	W33/506	34.64	3.77	3.77
R31/506	LKD	W34/506	34.62	1.90	
R31/506	LKD	W35/506	34.71	1.91	
R31/506	LKD	W36/506	37.72	3.65	7.46
R32/506	BEDROOM	W37/506	37.63	4.18	4.18
R1/550	LIVINGROOM	W1/550	15.28	2.90	2.90
R2/550	LIVINGROOM	W2/550	16.42	3.03	3.03
R3/550	LIVINGROOM	W3/550	15.76	2.96	2.96

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R4/550	LIVINGROOM	W4/550	13.27	2.57	2.57
R5/550	KD	W5/550	10.52	1.82	1.82
R6/550	KD	W6/550	13.86	2.21	2.21
R7/550	KD	W7/550	15.77	2.41	2.41
R8/550	KD	W8/550	16.31	2.48	2.48
R1/551	BEDROOM	W1/551	17.57	4.01	4.01
R2/551	BEDROOM	W2/551	19.07	4.21	4.21
R3/551	BEDROOM	W3/551	18.27	4.11	4.11
R4/551	BEDROOM	W4/551	15.03	3.64	3.64
R5/551	BEDROOM	W5/551	10.96	1.99	
R5/551	BEDROOM	W6/551	12.06	0.67	2.66
R6/551	BEDROOM	W7/551	15.24	2.52	
R6/551	BEDROOM	W8/551	16.06	0.88	3.39
R7/551	BEDROOM	W9/551	18.20	2.82	
R7/551	BEDROOM	W10/551	18.43	0.99	3.80
R8/551	BEDROOM	W11/551	19.54	2.96	
R8/551	BEDROOM	W12/551	19.22	1.05	4.00
<b>BLOCK F3</b>					
R1/599	BEDROOM	W1/599	11.90	1.71	1.71
R2/599	LIVINGROOM	W2/599	11.02	2.42	2.42
R3/599	LIVINGROOM	W3/599	8.56	2.04	2.04
R4/599	LIVINGROOM	W4/599	9.90	2.31	2.31
R5/599	LIVINGROOM	W5/599	9.50	2.25	2.25
R1/600	KD	W1/600	14.26	1.98	1.98

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R2/600	BEDROOM	W2/600	0.00	0.05	0.05
R3/600	KD	W3/600	5.27	1.09	1.09
R4/600	BEDROOM	W4/600	0.00	0.05	0.05
R5/600	KD	W5/600	2.82	0.70	0.70
R6/600	BEDROOM	W6/600	0.00	0.08	0.08
R7/600	KD	W7/600	17.19	2.23	2.23
R8/600	BEDROOM	W8/600	0.14	0.10	0.10
R9/600	LD	W9/600	18.28	2.27	
R9/600	LD	W10/600	11.29	0.49	2.75
R10/600	BEDROOM	W11/600	13.64	1.99	1.99
R11/600	BEDROOM	W12/600	12.56	1.79	1.79
R12/600	BEDROOM	W13/600	10.46	2.23	2.23
R13/600	BEDROOM	W14/600	4.94	1.02	1.02
R14/600	BEDROOM	W15/600	5.41	1.51	1.51
R15/600	BEDROOM	W16/600	10.45	1.64	1.64
R16/600	BEDROOM	W17/600	9.15	2.06	2.06
R17/600	BEDROOM	W18/600	2.89	0.70	0.70
R18/600	BEDROOM	W19/600	6.92	1.83	1.83
R19/600	LIVINGROOM	W20/600	3.64	1.33	1.33
R20/600	KD	W21/600	14.17	1.88	1.88
R21/600	BEDROOM	W22/600	16.56	2.19	2.19
R22/600	BEDROOM	W23/600	16.15	2.10	2.10
R23/600	LD	W24/600	16.91	2.49	2.49

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R1/601	BEDROOM	W1/601	17.56	2.34	2.34
R2/601	BEDROOM	W2/601	14.01	2.50	2.50
R3/601	LKD	W3/601	2.73	0.57	0.57
R4/601	LKD	W4/601	4.13	0.86	0.86
R5/601	BEDROOM	W5/601	20.24	2.69	2.69
R6/601	LKD	W6/601	18.06	1.12	
R6/601	LKD	W7/601	5.96	0.83	
R6/601	LKD	W8/601	15.95	1.02	2.97
R7/601	BEDROOM	W9/601	12.40	2.37	2.37
R8/601	BEDROOM	W10/601	11.37	2.35	2.35
R9/601	BEDROOM	W11/601	10.59	0.64	
R9/601	BEDROOM	W12/601	15.61	1.97	2.61
R10/601	BEDROOM	W13/601	12.02	1.86	1.86
R11/601	LKD	W14/601	2.07	0.62	0.62
R12/601	BEDROOM	W15/601	11.13	1.80	1.80
R13/601	BEDROOM	W16/601	11.26	2.21	2.21
R14/601	LKD	W17/601	2.99	0.76	0.76
R15/601	BEDROOM	W18/601	11.82	1.95	1.95
R16/601	LKD	W19/601	9.78	0.43	
R16/601	LKD	W20/601	4.06	0.83	1.25
R17/601	LKD	W21/601	17.94	1.15	
R17/601	LKD	W22/601	5.66	0.89	2.04
R18/601	BEDROOM	W23/601	19.00	2.48	2.48
R19/601	BEDROOM	W24/601	19.35	2.11	2.11
R1/602	BEDROOM	W1/602	21.13	2.64	2.64

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R2/602	BEDROOM	W2/602	17.58	2.84	2.84
R3/602	LKD	W3/602	5.74	0.76	0.76
R4/602	LKD	W4/602	7.10	1.04	1.04
R5/602	BEDROOM	W5/602	23.25	2.94	2.94
R6/602	LKD	W6/602	21.25	1.23	
R6/602	LKD	W7/602	9.38	1.04	
R6/602	LKD	W8/602	18.82	1.13	3.40
R7/602	BEDROOM	W9/602	14.37	2.60	2.60
R8/602	BEDROOM	W10/602	13.21	2.58	2.58
R9/602	BEDROOM	W11/602	12.44	0.72	
R9/602	BEDROOM	W12/602	17.98	2.15	2.87
R10/602	BEDROOM	W13/602	14.03	2.05	2.05
R11/602	LKD	W14/602	4.45	1.05	1.05
R12/602	BEDROOM	W15/602	14.47	2.07	2.07
R13/602	BEDROOM	W16/602	12.45	2.38	2.38
R14/602	LKD	W17/602	5.75	1.27	1.27
R15/602	BEDROOM	W18/602	13.88	2.13	2.13
R16/602	LKD	W19/602	9.63	0.44	
R16/602	LKD	W20/602	8.37	1.47	1.91
R17/602	LKD	W21/602	19.57	1.22	
R17/602	LKD	W22/602	8.37	1.06	2.28
R18/602	BEDROOM	W23/602	22.41	2.77	2.77
R19/602	BEDROOM	W24/602	23.54	2.41	2.41
R1/603	BEDROOM	W1/603	25.55	2.98	2.98
R2/603	BEDROOM	W2/603	21.11	3.18	3.18

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R3/603	LKD	W3/603	9.49	1.27	1.27
R4/603	LKD	W4/603	10.36	1.42	1.42
R5/603	BEDROOM	W5/603	26.59	3.19	3.19
R6/603	LKD	W6/603	24.46	1.35	
R6/603	LKD	W7/603	12.37	1.32	
R6/603	LKD	W8/603	20.91	1.21	3.87
R7/603	BEDROOM	W9/603	16.54	2.80	2.80
R8/603	BEDROOM	W10/603	15.51	2.55	2.55
R9/603	BEDROOM	W11/603	14.93	0.93	
R9/603	BEDROOM	W12/603	20.63	2.65	3.59
R10/603	BEDROOM	W14/603	16.80	2.21	2.21
R11/603	LKD	W15/603	3.29	0.89	0.89
R12/603	BEDROOM	W16/603	16.00	2.16	2.16
R13/603	BEDROOM	W17/603	15.92	2.72	2.72
R14/603	LKD	W18/603	3.77	0.94	0.94
R15/603	BEDROOM	W19/603	15.90	2.30	2.30
R16/603	LKD	W20/603	13.96	0.53	
R16/603	LKD	W21/603	5.65	1.01	1.54
R17/603	LKD	W22/603	21.75	1.29	
R17/603	LKD	W23/603	11.55	1.31	2.60
R18/603	BEDROOM	W24/603	26.21	3.08	3.08
R19/603	BEDROOM	W25/603	26.64	2.59	2.59
R1/604	BEDROOM	W1/604	30.69	3.38	3.38
R2/604	BEDROOM	W2/604	25.64	3.62	3.62
R3/604	LKD	W3/604	13.29	1.74	1.74



Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R4/604	LKD	W4/604	13.77	1.80	1.80
R5/604	BEDROOM	W5/604	30.71	3.53	3.53
R6/604	KD	W6/604	28.29	2.85	2.85
R7/604	LIVINGROOM	W7/604	15.35	2.39	
R7/604	LIVINGROOM	W8/604	23.47	2.01	4.40
R8/604	BEDROOM	W9/604	19.64	2.58	2.58
R9/604	BEDROOM	W10/604	18.76	3.23	3.23
R10/604	BEDROOM	W11/604	18.35	1.02	
R10/604	BEDROOM	W12/604	23.50	2.71	3.73
R11/604	BEDROOM	W13/604	19.30	2.42	2.42
R12/604	LKD	W14/604	7.31	1.34	1.34
R13/604	BEDROOM	W15/604	20.95	2.57	2.57
R14/604	BEDROOM	W16/604	17.60	2.90	2.90
R15/604	LKD	W17/604	8.26	1.44	1.44
R16/604	BEDROOM	W18/604	19.94	2.63	2.63
R17/604	LKD	W19/604	13.98	0.52	
R17/604	LKD	W20/604	9.58	1.59	2.12
R18/604	LKD	W21/604	24.31	1.40	
R18/604	LKD	W22/604	14.79	1.58	2.98
R19/604	BEDROOM	W23/604	30.72	3.44	3.44
R20/604	BEDROOM	W24/604	32.44	2.97	2.97
R1/605	BEDROOM	W1/605	35.62	3.76	3.76
R2/605	BEDROOM	W2/605	35.67	4.69	4.69
R3/605	LKD	W3/605	35.69	4.01	4.01
R4/605	LKD	W4/605	35.70	4.01	4.01

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R5/605	BEDROOM	W5/605	35.68	3.95	3.95
R6/605	KD	W6/605	35.66	3.42	3.42
R7/605	LIVINGROOM	W7/605	35.62	4.92	
R7/605	LIVINGROOM	W8/605	26.70	2.20	7.12
R8/605	BEDROOM	W9/605	23.85	2.94	2.94
R9/605	BEDROOM	W10/605	23.17	3.73	3.73
R10/605	BEDROOM	W11/605	22.85	1.19	
R10/605	BEDROOM	W12/605	26.54	2.94	4.14
R11/605	BEDROOM	W13/605	25.39	2.86	2.86
R12/605	LKD	W14/605	24.89	3.11	3.11
R13/605	BEDROOM	W15/605	24.81	2.87	2.87
R14/605	BEDROOM	W16/605	24.94	3.61	3.61
R15/605	LKD	W17/605	25.10	3.05	3.05
R16/605	BEDROOM	W18/605	24.97	3.05	3.05
R17/605	LKD	W19/605	24.86	0.74	
R17/605	LKD	W20/605	25.60	2.92	3.66
R18/605	LKD	W21/605	26.88	1.49	
R18/605	LKD	W22/605	34.75	3.22	4.71
R19/605	BEDROOM	W23/605	35.01	3.78	3.78
R20/605	BEDROOM	W24/605	35.22	3.16	3.16
R1/650	LKD	W1/650	13.46	1.95	1.95
R2/650	LKD	W2/650	12.85	1.90	1.90
R3/650	LKD	W3/650	12.83	1.90	1.90
R4/650	LKD	W4/650	12.84	1.90	1.90

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R5/650	LKD	W5/650	13.41	1.95	1.95
R1/651	BEDROOM	W1/651	3.99	0.84	
R1/651	BEDROOM	W2/651	5.61	0.51	1.35
R2/651	BEDROOM	W3/651	6.36	1.07	
R2/651	BEDROOM	W4/651	6.86	0.56	1.63
R3/651	BEDROOM	W5/651	7.23	1.12	
R3/651	BEDROOM	W6/651	7.40	0.58	1.70
R4/651	BEDROOM	W7/651	7.32	1.14	
R4/651	BEDROOM	W8/651	7.12	0.57	1.70
R5/651	BEDROOM	W9/651	6.69	1.10	
R5/651	BEDROOM	W10/651	5.78	0.51	1.61
R6/651	BEDROOM	W11/651	3.19	0.76	0.76
R7/651	BEDROOM	W12/651	1.98	0.35	0.35
R8/651	BEDROOM	W13/651	1.99	0.36	0.36
R9/651	BEDROOM	W14/651	2.07	0.40	0.40
R10/651	BEDROOM	W15/651	2.65	0.60	0.60
R1/652	LKD	W1/652	19.57	2.42	2.42
R2/652	LKD	W2/652	19.01	2.44	2.44
R3/652	LKD	W3/652	19.08	2.44	2.44
R4/652	LKD	W4/652	19.02	2.43	2.43
R5/652	LKD	W5/652	19.69	2.49	2.49
R1/653	BEDROOM	W1/653	5.39	0.99	
R1/653	BEDROOM	W2/653	8.20	0.63	1.62
R2/653	BEDROOM	W3/653	12.24	1.71	
R2/653	BEDROOM	W4/653	9.29	0.68	2.39
R3/653	BEDROOM	W5/653	14.83	1.95	
R3/653	BEDROOM	W6/653	10.46	0.72	2.67

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
<b>R4/653</b>	BEDROOM	W7/653	14.71	1.91	
<b>R4/653</b>	BEDROOM	W8/653	11.37	0.77	2.67
<b>R5/653</b>	BEDROOM	W9/653	9.70	1.37	
<b>R5/653</b>	BEDROOM	W10/653	8.69	0.65	2.02
<b>R6/653</b>	BEDROOM	W11/653	10.85	1.55	1.55
<b>R7/653</b>	BEDROOM	W12/653	9.72	1.42	1.42
<b>R8/653</b>	BEDROOM	W13/653	9.66	1.41	1.41
<b>R9/653</b>	BEDROOM	W14/653	9.49	1.39	1.39
<b>R10/653</b>	BEDROOM	W15/653	9.81	1.43	1.43
<b>R1/654</b>	LKD	W1/654	20.38	2.87	2.87
<b>R2/654</b>	LKD	W2/654	27.22	3.45	3.45
<b>R3/654</b>	LKD	W3/654	28.92	3.61	3.61
<b>R4/654</b>	LKD	W4/654	27.07	3.45	3.45
<b>R5/654</b>	BEDROOM	W5/654	33.32	1.77	
<b>R5/654</b>	BEDROOM	W6/654	33.27	1.77	3.53
<b>R6/654</b>	BEDROOM	W7/654	33.31	1.76	
<b>R6/654</b>	BEDROOM	W8/654	33.34	1.76	3.52
<b>R7/654</b>	BEDROOM	W9/654	33.18	1.75	
<b>R7/654</b>	BEDROOM	W10/654	33.11	1.75	3.50
<b>R8/654</b>	BEDROOM	W11/654	32.92	1.74	
<b>R8/654</b>	BEDROOM	W12/654	32.78	1.71	3.46
<b>BLOCK F4</b>					
<b>R1/700</b>	BEDROOM	W1/700	7.81	1.29	1.29
<b>R2/700</b>	LIVINGROOM	W2/700	2.37	0.69	
<b>R2/700</b>	LIVINGROOM	W3/700	18.20	1.85	2.54
<b>R3/700</b>	KD	W4/700	17.81	1.29	1.29

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R4/700	KD	W5/700	21.30	2.36	2.36
R5/700	KD	W6/700	21.02	2.33	2.33
R6/700	KD	W7/700	19.97	2.27	2.27
R7/700	KD	W8/700	20.22	2.29	2.29
R8/700	KD	W9/700	21.21	2.36	2.36
R9/700	KD	W10/700	20.60	2.32	2.32
R10/700	KD	W11/700	19.04	2.15	2.15
R11/700	LIVINGROOM	W12/700	19.26	3.12	3.12
R12/700	LIVINGROOM	W13/700	18.75	3.12	3.12
R13/700	LIVINGROOM	W14/700	17.71	3.02	3.02
R14/700	LIVINGROOM	W15/700	15.66	2.80	2.80
R15/700	LIVINGROOM	W16/700	13.52	2.59	2.59
R16/700	LIVINGROOM	W17/700	12.36	2.46	2.46
R17/700	LIVINGROOM	W18/700	12.24	2.43	2.43
R1/701	BEDROOM	W1/701	19.13	2.20	2.20
R2/701	BEDROOM	W2/701	19.12	2.68	2.68
R3/701	KD	W3/701	16.46	1.73	1.73
R4/701	LIVINGROOM	W4/701	6.65	0.93	
R4/701	LIVINGROOM	W5/701	19.58	1.03	
R4/701	LIVINGROOM	W6/701	12.31	0.68	2.64
R5/701	BEDROOM	W7/701	17.08	1.93	1.93
R6/701	BEDROOM	W8/701	21.91	2.52	2.52
R7/701	BEDROOM	W9/701	23.07	4.71	4.71

<b>Room</b>	<b>Roomuse</b>	<b>Window</b>	<b>VSC(%)</b>	<b>ADF(%)</b>	<b>TOTAL ADF(%)</b>
<b>R8/701</b>	BEDROOM	W10/701	14.55	3.22	3.22
<b>R9/701</b>	BEDROOM	W11/701	11.31	2.70	2.70
<b>R10/701</b>	BEDROOM	W12/701	14.25	3.10	3.10
<b>R11/701</b>	BEDROOM	W13/701	22.17	4.58	4.58
<b>R12/701</b>	BEDROOM	W14/701	18.21	4.09	4.09
<b>R13/701</b>	BEDROOM	W15/701	11.23	2.61	2.61
<b>R14/701</b>	BEDROOM	W16/701	21.41	2.74	2.74
<b>R15/701</b>	BEDROOM	W17/701	21.21	2.76	2.76
<b>R16/701</b>	BEDROOM	W18/701	20.36	2.70	2.70
<b>R17/701</b>	BEDROOM	W19/701	16.55	2.36	2.36
<b>R18/701</b>	BEDROOM	W20/701	5.53	0.90	0.90
<b>R19/701</b>	BEDROOM	W21/701	6.59	1.31	1.31
<b>R20/701</b>	BEDROOM	W22/701	10.06	1.72	1.72
<b>R1/702</b>	BEDROOM	W1/702	23.50	2.40	2.40
<b>R2/702</b>	BEDROOM	W2/702	23.26	2.96	2.96
<b>R3/702</b>	LKD	W3/702	19.04	0.57	
<b>R3/702</b>	LKD	W4/702	6.15	0.91	
<b>R3/702</b>	LKD	W5/702	23.27	0.65	
<b>R3/702</b>	LKD	W6/702	20.01	0.57	2.70
<b>R4/702</b>	LIVINGROOM	W7/702	8.43	1.62	1.62
<b>R5/702</b>	KD	W8/702	20.52	1.29	1.29
<b>R6/702</b>	BEDROOM	W9/702	24.82	3.03	3.03
<b>R7/702</b>	BEDROOM	W10/702	26.39	3.17	3.17
<b>R8/702</b>	BEDROOM	W11/702	26.87	3.03	3.03

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R9/702	BEDROOM	W12/702	25.85	3.10	3.10
R10/702	KITCHEN	W13/702	20.04	1.50	1.50
R11/702	LKD	W14/702	9.27	1.59	1.59
R12/702	LKD	W15/702	9.05	1.57	1.57
R13/702	KITCHEN	W16/702	19.52	1.46	1.46
R14/702	BEDROOM	W17/702	24.55	3.02	3.02
R15/702	BEDROOM	W18/702	22.89	2.75	2.75
R16/702	LKD	W19/702	9.21	1.07	
R16/702	LKD	W20/702	16.05	0.41	
R16/702	LKD	W21/702	10.80	0.73	
R16/702	LKD	W22/702	7.70	0.25	2.46
R17/702	BEDROOM	W23/702	24.08	2.70	2.70
R18/702	BEDROOM	W24/702	23.85	2.78	2.78
R19/702	BEDROOM	W25/702	22.33	2.53	
R19/702	BEDROOM	W26/702	18.64	1.09	3.62
R20/702	LKD	W27/702	5.11	0.88	0.88
R21/702	LKD	W28/702	2.96	0.55	0.55
R22/702	BEDROOM	W29/702	15.85	1.04	
R22/702	BEDROOM	W30/702	16.77	2.15	3.18
R1/703	BEDROOM	W1/703	27.41	2.69	2.69
R2/703	BEDROOM	W2/703	27.31	3.30	3.30
R3/703	LKD	W3/703	22.75	0.64	
R3/703	LKD	W4/703	9.66	1.13	
R3/703	LKD	W5/703	26.82	0.71	
R3/703	LKD	W6/703	23.48	0.64	3.12
R4/703	LIVINGROOM	W7/703	11.75	2.22	2.22
R5/703	KD	W8/703	23.83	1.42	1.42

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R6/703	BEDROOM	W9/703	28.12	3.30	3.30
R7/703	BEDROOM	W10/703	29.51	3.43	3.43
R8/703	BEDROOM	W11/703	29.84	3.26	3.26
R9/703	BEDROOM	W12/703	28.69	3.33	3.33
R10/703	KITCHEN	W13/703	22.63	1.61	1.61
R11/703	LD	W14/703	11.74	1.88	1.88
R12/703	LD	W15/703	11.48	1.85	1.85
R13/703	KITCHEN	W16/703	22.14	1.57	1.57
R14/703	BEDROOM	W17/703	27.32	3.24	3.24
R15/703	BEDROOM	W18/703	25.52	2.93	2.93
R16/703	LKD	W19/703	11.59	1.21	
R16/703	LKD	W20/703	18.65	0.46	
R16/703	LKD	W21/703	13.20	0.84	
R16/703	LKD	W22/703	9.84	0.31	2.81
R17/703	BEDROOM	W23/703	26.61	2.89	2.89
R18/703	BEDROOM	W24/703	26.50	2.98	2.98
R19/703	BEDROOM	W25/703	25.10	2.74	
R19/703	BEDROOM	W26/703	21.32	1.18	3.91
R20/703	LKD	W27/703	7.76	1.23	1.23
R21/703	LKD	W28/703	6.34	1.00	1.00
R22/703	BEDROOM	W29/703	19.78	1.17	
R22/703	BEDROOM	W30/703	20.86	2.45	3.62
R1/704	BEDROOM	W1/704	32.19	3.01	3.01
R2/704	BEDROOM	W2/704	31.56	3.64	3.64
R3/704	LKD	W3/704	27.79	0.72	



Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R3/704	LKD	W4/704	17.55	1.81	
R3/704	LKD	W5/704	31.04	0.78	
R3/704	LKD	W6/704	28.26	0.72	4.04
R4/704	LIVINGROOM	W7/704	19.35	3.43	3.43
R5/704	KD	W8/704	28.46	1.60	1.60
R6/704	BEDROOM	W9/704	31.93	3.62	3.62
R7/704	BEDROOM	W10/704	32.81	3.70	3.70
R8/704	BEDROOM	W11/704	32.97	3.51	3.51
R9/704	BEDROOM	W12/704	32.08	3.61	3.61
R10/704	KITCHEN	W13/704	26.93	1.79	1.79
R11/704	LD	W14/704	18.36	2.69	2.69
R12/704	LD	W15/704	18.16	2.66	2.66
R13/704	KITCHEN	W16/704	26.46	1.77	1.77
R14/704	BEDROOM	W17/704	30.89	3.52	3.52
R15/704	BEDROOM	W18/704	29.31	3.19	3.19
R16/704	LKD	W19/704	18.48	1.68	
R16/704	LKD	W20/704	23.35	0.54	
R16/704	LKD	W21/704	16.82	0.98	
R16/704	LKD	W22/704	13.53	0.39	3.60
R17/704	BEDROOM	W23/704	29.19	3.07	3.07
R18/704	BEDROOM	W24/704	29.21	3.19	3.19
R19/704	BEDROOM	W25/704	28.37	2.97	
R19/704	BEDROOM	W26/704	25.33	1.31	4.27
R20/704	LKD	W27/704	14.45	2.01	2.01
R21/704	LKD	W28/704	14.03	1.97	1.97
R22/704	BEDROOM	W29/704	25.04	1.33	

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R22/704	BEDROOM	W30/704	26.12	2.83	4.16
R1/705	BEDROOM	W1/705	35.20	3.23	3.23
R2/705	BEDROOM	W2/705	34.92	3.93	3.93
R3/705	LKD	W3/705	34.70	0.83	
R3/705	LKD	W4/705	34.59	3.19	
R3/705	LKD	W5/705	35.66	0.85	
R3/705	LKD	W6/705	35.68	0.85	5.73
R4/705	LIVINGROOM	W7/705	35.70	5.80	5.80
R5/705	KD	W8/705	35.80	1.88	1.88
R6/705	BEDROOM	W9/705	35.83	3.96	3.96
R7/705	BEDROOM	W10/705	35.92	3.97	3.97
R8/705	BEDROOM	W11/705	35.97	3.75	3.75
R9/705	BEDROOM	W12/705	35.98	3.96	3.96
R10/705	KITCHEN	W13/705	35.93	2.22	2.22
R11/705	LD	W14/705	35.84	4.81	4.81
R12/705	LD	W15/705	35.63	4.78	4.78
R13/705	KITCHEN	W16/705	35.38	2.18	2.18
R14/705	BEDROOM	W17/705	35.13	3.87	3.87
R15/705	BEDROOM	W18/705	34.76	3.63	3.63
R16/705	LKD	W19/705	34.18	2.87	
R16/705	LKD	W20/705	33.69	0.71	
R16/705	LKD	W21/705	22.46	1.20	
R16/705	LKD	W22/705	20.28	0.53	5.31
R17/705	BEDROOM	W23/705	31.36	3.23	3.23
R18/705	BEDROOM	W24/705	31.43	3.36	3.36
R19/705	BEDROOM	W25/705	31.45	3.18	

Room	Roomuse	Window	VSC(%)	ADF(%)	TOTAL ADF(%)
R19/705	BEDROOM	W26/705	31.33	1.47	4.65
R20/705	LKD	W27/705	31.44	3.67	3.67
R21/705	LKD	W28/705	31.48	3.68	3.68
R22/705	BEDROOM	W29/705	31.65	1.49	
R22/705	BEDROOM	W30/705	31.65	3.20	4.69

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
------------	----------	--------------------	----------------------	----------------

**BLOCK H**

R1/101	BEDROOM	121.8	101.8	83.6
R2/101	LKD	272.9	222.7	81.6
R3/101	BEDROOM	121.8	103.4	84.9
R4/101	LKD	272.8	268.7	98.5
R5/101	BEDROOM	136.3	115.4	84.7
R6/101	LKD	262.0	249.2	95.1
R7/101	LKD	272.8	271.2	99.4
R8/101	BEDROOM	122.0	106.0	86.9
R9/101	LKD	272.6	113.8	41.7
R10/101	BEDROOM	121.8	106.9	87.8
R1/102	LKD	232.9	219.4	94.2
R2/102	BEDROOM	119.6	107.9	90.2
R3/102	BEDROOM	136.8	133.7	97.7
R4/102	BEDROOM	136.8	129.9	95.0
R5/102	BEDROOM	119.6	112.2	93.8
R6/102	LKD	232.9	231.9	99.6
R7/102	LKD	233.7	233.5	99.9
R8/102	BEDROOM	81.7	66.3	81.2
R9/102	BEDROOM	130.0	114.9	88.4
R10/102	BEDROOM	130.0	92.6	71.2
R11/102	BEDROOM	81.7	64.8	79.3
R12/102	LKD	233.7	232.4	99.4
R13/102	BEDROOM	149.7	138.0	92.2
R14/102	LKD	222.1	176.7	79.6
R15/102	LKD	222.1	173.0	77.9
R16/102	BEDROOM	149.7	117.2	78.3
R17/102	LKD	258.7	256.5	99.1
R18/102	BEDROOM	105.4	103.2	97.9
R19/102	BEDROOM	125.4	116.3	92.7
R20/102	BEDROOM	118.9	114.7	96.5
R21/102	BEDROOM	104.0	100.1	96.3
R22/102	LKD	258.7	255.0	98.6
R23/102	BEDROOM	149.7	142.0	94.9
R24/102	LKD	222.1	215.8	97.2
R25/102	LKD	222.1	213.4	96.1
R26/102	BEDROOM	149.7	141.5	94.5
R27/102	LKD	233.7	231.7	99.1
R28/102	BEDROOM	81.7	74.6	91.3
R29/102	BEDROOM	130.0	103.5	79.6
R30/102	BEDROOM	130.0	115.1	88.5
R31/102	BEDROOM	81.7	75.5	92.4
R32/102	LKD	233.7	233.0	99.7
R1/103	LKD	232.9	221.2	95.0
R2/103	BEDROOM	119.6	114.8	96.0

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R3/103	BEDROOM	136.8	133.7	97.7
R4/103	BEDROOM	136.8	131.2	95.9
R5/103	BEDROOM	119.6	112.2	93.8
R6/103	LKD	232.9	230.2	98.8
R7/103	LKD	233.7	233.5	99.9
R8/103	BEDROOM	81.7	73.1	89.5
R9/103	BEDROOM	130.0	111.7	85.9
R10/103	BEDROOM	130.0	118.2	90.9
R11/103	BEDROOM	81.7	73.6	90.1
R12/103	LKD	233.7	232.4	99.4
R13/103	BEDROOM	149.7	140.6	93.9
R14/103	LKD	222.1	213.2	96.0
R15/103	LKD	222.1	201.6	90.8
R16/103	BEDROOM	149.7	130.9	87.4
R17/103	LKD	258.7	256.7	99.2
R18/103	BEDROOM	105.4	99.2	94.1
R19/103	BEDROOM	125.4	118.7	94.7
R20/103	BEDROOM	118.9	114.8	96.6
R21/103	BEDROOM	104.0	97.1	93.4
R22/103	LKD	258.7	257.4	99.5
R23/103	BEDROOM	149.7	138.5	92.5
R24/103	LKD	222.1	216.4	97.4
R25/103	LKD	222.1	216.3	97.4
R26/103	BEDROOM	149.7	141.0	94.2
R27/103	LKD	233.7	231.7	99.1
R28/103	BEDROOM	81.7	77.4	94.7
R29/103	BEDROOM	130.0	118.1	90.8
R30/103	BEDROOM	130.0	111.9	86.1
R31/103	BEDROOM	81.7	75.8	92.8
R32/103	LKD	233.7	233.1	99.7
R1/104	LKD	232.9	220.7	94.8
R2/104	BEDROOM	119.6	115.0	96.2
R3/104	BEDROOM	136.8	133.7	97.7
R4/104	BEDROOM	136.8	131.5	96.1
R5/104	BEDROOM	119.6	113.8	95.2
R6/104	LKD	232.9	232.0	99.6
R7/104	LKD	233.7	233.5	99.9
R8/104	BEDROOM	81.7	70.6	86.4
R9/104	BEDROOM	130.0	114.9	88.4
R10/104	BEDROOM	130.0	99.8	76.8
R11/104	BEDROOM	81.7	73.9	90.5
R12/104	LKD	233.7	232.4	99.4
R13/104	BEDROOM	149.7	142.0	94.9
R14/104	LKD	222.1	214.8	96.7
R15/104	LKD	222.1	212.3	95.6
R16/104	BEDROOM	149.7	141.3	94.4

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R17/104	LKD	258.7	254.7	98.5
R18/104	BEDROOM	105.4	99.2	94.1
R19/104	BEDROOM	125.4	118.7	94.7
R20/104	BEDROOM	118.9	114.8	96.6
R21/104	BEDROOM	104.0	97.1	93.4
R22/104	LKD	258.7	256.3	99.1
R23/104	BEDROOM	149.7	142.0	94.9
R24/104	LKD	222.1	216.3	97.4
R25/104	LKD	222.1	216.6	97.5
R26/104	BEDROOM	149.7	142.3	95.1
R27/104	LKD	233.7	231.7	99.1
R28/104	BEDROOM	81.7	75.4	92.3
R29/104	BEDROOM	130.0	119.2	91.7
R30/104	BEDROOM	130.0	115.1	88.5
R31/104	BEDROOM	81.7	76.8	94.0
R32/104	LKD	233.7	233.1	99.7
R1/105	LKD	302.8	300.0	99.1
R2/105	BEDROOM	136.8	135.3	98.9
R3/105	LKD	262.3	254.7	97.1
R4/105	LKD	302.8	301.6	99.6
R5/105	BEDROOM	130.1	107.5	82.6
R6/105	BEDROOM	137.6	96.5	70.1
R7/105	LKD	262.1	261.9	99.9
R8/105	BEDROOM	106.2	105.6	99.4
R9/105	BEDROOM	121.4	118.6	97.7
R10/105	BEDROOM	121.4	118.9	97.9
R11/105	BEDROOM	106.2	105.0	98.9
R12/105	LKD	262.1	261.9	99.9
R13/105	BEDROOM	137.6	130.5	94.8
R14/105	BEDROOM	130.1	46.2	35.5
R1/106	LKD	302.8	300.3	99.2
R2/106	BEDROOM	136.8	135.3	98.9
R3/106	LKD	262.3	254.7	97.1
R4/106	LKD	302.8	301.8	99.7
R5/106	BEDROOM	130.1	117.3	90.2
R6/106	BEDROOM	137.6	130.1	94.5
R7/106	LKD	262.1	261.9	99.9
R8/106	BEDROOM	106.2	99.0	93.2
R9/106	BEDROOM	121.4	118.6	97.7
R10/106	BEDROOM	121.4	105.7	87.1
R11/106	BEDROOM	106.2	105.0	98.9
R12/106	LKD	262.1	261.9	99.9
R13/106	BEDROOM	137.6	130.1	94.5
R14/106	BEDROOM	130.1	117.3	90.2
R1/107	LKD	302.8	300.3	99.2
R2/107	BEDROOM	136.8	135.3	98.9

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R3/107	LKD	262.3	254.7	97.1
R4/107	LKD	302.8	301.6	99.6
R5/107	BEDROOM	130.1	117.7	90.5
R6/107	BEDROOM	137.6	131.4	95.5
R7/107	LKD	262.1	261.9	99.9
R8/107	BEDROOM	106.2	105.6	99.4
R9/107	BEDROOM	121.4	105.2	86.7
R10/107	BEDROOM	121.4	118.9	97.9
R11/107	BEDROOM	106.2	98.4	92.7
R12/107	LKD	262.1	261.9	99.9
R13/107	BEDROOM	137.6	131.4	95.5
R14/107	BEDROOM	130.1	117.7	90.5
R1/108	LKD	302.8	300.3	99.2
R2/108	BEDROOM	136.8	135.3	98.9
R3/108	LKD	262.3	254.7	97.1
R4/108	LKD	302.8	301.8	99.7
R5/108	BEDROOM	130.1	117.3	90.2
R6/108	BEDROOM	137.6	130.1	94.5
R7/108	LKD	262.1	261.9	99.9
R8/108	BEDROOM	106.2	99.0	93.2
R9/108	BEDROOM	121.4	118.6	97.7
R10/108	BEDROOM	121.4	105.7	87.1
R11/108	BEDROOM	106.2	105.0	98.9
R12/108	LKD	262.1	259.6	99.0
R13/108	BEDROOM	137.6	130.1	94.5
R14/108	BEDROOM	130.1	117.3	90.2
R1/109	LKD	302.8	300.3	99.2
R2/109	BEDROOM	136.8	135.3	98.9
R3/109	LKD	262.3	254.7	97.1
R4/109	LKD	302.8	301.6	99.6
R5/109	BEDROOM	130.1	117.7	90.5
R6/109	BEDROOM	137.6	131.4	95.5
R7/109	LKD	262.1	261.2	99.7
R8/109	BEDROOM	106.2	105.6	99.4
R9/109	BEDROOM	121.4	105.2	86.7
R10/109	BEDROOM	121.4	118.9	97.9
R11/109	BEDROOM	106.2	98.4	92.7
R12/109	LKD	262.1	261.9	99.9
R13/109	BEDROOM	137.6	131.4	95.5
R14/109	BEDROOM	130.1	117.7	90.5
R1/110	LKD	302.8	300.3	99.2
R2/110	BEDROOM	136.8	135.3	98.9
R3/110	LKD	262.3	255.0	97.2
R4/110	LKD	302.8	301.8	99.7
R5/110	BEDROOM	130.1	117.3	90.2
R6/110	BEDROOM	137.6	130.1	94.5

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R7/110	LKD	262.1	261.9	99.9
R8/110	BEDROOM	106.2	99.0	93.2
R9/110	BEDROOM	121.4	118.6	97.7
R10/110	BEDROOM	121.4	108.9	89.7
R11/110	BEDROOM	106.2	105.0	98.9
R12/110	LKD	262.1	259.6	99.0
R13/110	BEDROOM	137.6	131.4	95.5
R14/110	BEDROOM	130.1	117.3	90.2
R1/111	LKD	302.8	300.3	99.2
R4/111	LKD	302.8	301.6	99.6
R5/111	BEDROOM	130.1	117.7	90.5
R6/111	BEDROOM	137.6	131.4	95.5
R7/111	LKD	262.1	261.2	99.7
R8/111	BEDROOM	106.2	105.6	99.4
R9/111	BEDROOM	121.4	108.6	89.5
R10/111	BEDROOM	121.4	118.9	97.9
R11/111	BEDROOM	106.2	98.4	92.7
R12/111	LKD	262.1	261.9	99.9
R13/111	BEDROOM	137.6	131.4	95.5
R14/111	BEDROOM	130.1	117.7	90.5

**BLOCK G4**

R1/201	KD	170.6	123.3	72.3
R2/201	BEDROOM	131.0	121.0	92.4
R3/201	BEDROOM	146.3	136.9	93.6
R4/201	BEDROOM	134.6	128.5	95.5
R5/201	BEDROOM	143.8	137.2	95.4
R6/201	BEDROOM	139.3	133.5	95.8
R7/201	LKD	241.1	229.5	95.2
R8/201	LKD	291.4	186.7	64.1
R9/201	LKD	291.4	177.5	60.9
R10/201	LIVINGROOM	164.3	65.9	40.1
R1/202	BEDROOM	172.8	172.2	99.7
R2/202	BEDROOM	129.8	119.5	92.1
R3/202	BEDROOM	136.7	127.1	93.0
R4/202	BEDROOM	129.4	123.6	95.5
R5/202	BEDROOM	136.7	130.5	95.5
R6/202	BEDROOM	132.7	126.9	95.6
R7/202	LKD	237.1	232.9	98.2
R8/202	LKD	292.9	187.5	64.0
R9/202	LKD	292.9	172.4	58.9
R10/202	BEDROOM	164.3	78.8	48.0
R1/203	LKD	234.9	233.3	99.3
R2/203	BEDROOM	135.2	123.9	91.6



Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R3/203	BEDROOM	106.6	104.2	97.7
R4/203	LKD	250.1	240.5	96.2
R5/203	BEDROOM	123.7	118.1	95.5
R6/203	BEDROOM	145.5	139.1	95.6
R7/203	LKD	324.4	324.4	100.0
R8/203	LKD	222.6	222.1	99.8
R9/203	BEDROOM	122.0	80.8	66.2
R10/203	LKD	302.1	200.4	66.3
R11/203	BEDROOM	111.4	94.4	84.7
R12/203	BEDROOM	141.1	117.7	83.4
R13/203	BEDROOM	152.3	109.8	72.1
R1/301	LKD	252.6	80.4	31.8
R2/301	BEDROOM	158.1	50.7	32.1
R3/301	BEDROOM	137.1	75.5	55.1
R4/301	LKD	284.8	207.0	72.7
R5/301	LKD	347.0	188.1	54.2
R6/301	BEDROOM	125.4	50.1	40.0
R7/301	LKD	286.7	194.0	67.7
R8/301	BEDROOM	140.7	68.1	48.4
R1/302	BEDROOM	133.2	111.3	83.6
R2/302	BEDROOM	145.9	123.9	84.9
R3/302	BEDROOM	133.5	127.9	95.8
R4/302	BEDROOM	81.6	65.4	80.1
R5/302	BEDROOM	176.7	156.0	88.3

**BLOCK F1**

R1/400	KD	195.9	130.6	66.7
R2/400	KD	179.5	55.1	30.7
R3/400	KD	195.2	87.9	45.0
R4/400	KD	179.5	37.7	21.0
R5/400	KD	195.2	60.0	30.7
R6/400	KD	179.5	37.1	20.7
R7/400	KD	195.2	45.7	23.4
R8/400	KD	179.5	39.2	21.8
R9/400	LIVINGROOM	196.5	70.7	36.0
R10/400	LIVINGROOM	180.7	87.9	48.6
R11/400	LIVINGROOM	196.5	96.8	49.3
R12/400	LIVINGROOM	180.7	106.0	58.7
R13/400	LIVINGROOM	196.5	116.7	59.4
R14/400	LIVINGROOM	180.7	109.7	60.7
R15/400	LIVINGROOM	196.5	77.9	39.6
R16/400	LIVINGROOM	181.9	102.8	56.5
R1/401	BEDROOM	137.4	77.5	56.4
R2/401	BEDROOM	88.4	54.8	62.0

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R3/401	BEDROOM	136.8	45.9	33.6
R4/401	BEDROOM	136.6	48.8	35.7
R5/401	BEDROOM	88.4	29.9	33.8
R6/401	BEDROOM	136.8	37.1	27.1
R7/401	BEDROOM	136.6	34.7	25.4
R8/401	BEDROOM	88.4	22.5	25.5
R9/401	BEDROOM	136.8	34.3	25.1
R10/401	BEDROOM	136.6	27.2	19.9
R11/401	BEDROOM	88.4	33.1	37.4
R12/401	BEDROOM	136.8	35.0	25.6
R13/401	BEDROOM	135.1	74.6	55.2
R14/401	BEDROOM	136.6	90.2	66.0
R15/401	LKD	293.4	285.9	97.4
R16/401	LKD	248.6	243.3	97.9
R17/401	BEDROOM	138.4	135.1	97.6
R18/401	BEDROOM	136.6	54.9	40.2
R19/401	BEDROOM	88.4	43.2	48.9
R20/401	BEDROOM	136.8	55.5	40.6
R21/401	BEDROOM	136.6	59.0	43.2
R22/401	BEDROOM	88.4	57.2	64.7
R23/401	BEDROOM	136.8	69.1	50.5
R24/401	BEDROOM	137.4	66.9	48.7
R25/401	BEDROOM	88.4	64.8	73.3
R26/401	BEDROOM	136.0	92.9	68.3
R27/401	BEDROOM	137.3	98.9	72.0
R28/401	BEDROOM	88.4	79.5	89.9
R29/401	BEDROOM	136.8	120.0	87.7
R1/402	KD	197.5	156.8	79.4
R2/402	LKD	247.6	112.7	45.5
R3/402	BEDROOM	128.8	76.9	59.7
R4/402	LKD	250.0	71.1	28.4
R5/402	BEDROOM	130.2	52.6	40.4
R6/402	LKD	250.0	55.5	22.2
R7/402	BEDROOM	130.2	53.2	40.9
R8/402	LKD	250.0	51.2	20.5
R9/402	BEDROOM	130.3	56.1	43.1
R10/402	LKD	271.5	148.8	54.8
R11/402	BEDROOM	90.3	58.3	64.6
R12/402	BEDROOM	132.7	92.0	69.3
R13/402	LKD	308.1	303.0	98.3
R14/402	BEDROOM	86.6	83.9	96.9
R15/402	BEDROOM	94.8	93.0	98.1
R16/402	BEDROOM	137.7	135.8	98.6
R17/402	BEDROOM	133.9	103.2	77.1
R18/402	LKD	249.6	156.2	62.6
R19/402	BEDROOM	131.8	98.1	74.4

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R20/402	BEDROOM	105.7	83.1	78.6
R21/402	KITCHEN	98.0	67.5	68.9
R22/402	LD	197.0	118.1	59.9
R23/402	BEDROOM	131.3	92.4	70.4
R24/402	BEDROOM	89.3	83.9	94.0
R25/402	BEDROOM	129.9	115.0	88.5
R26/402	LIVINGROOM	194.0	190.4	98.1
R1/403	KD	196.8	165.9	84.3
R2/403	LKD	247.5	131.8	53.3
R3/403	BEDROOM	128.8	89.2	69.3
R4/403	LKD	250.2	82.0	32.8
R5/403	BEDROOM	130.2	69.9	53.7
R6/403	LKD	250.0	68.8	27.5
R7/403	BEDROOM	130.3	71.4	54.8
R8/403	LKD	250.0	65.0	26.0
R9/403	BEDROOM	130.3	72.2	55.4
R10/403	LKD	271.6	158.2	58.2
R11/403	BEDROOM	90.3	63.9	70.8
R12/403	BEDROOM	132.8	99.1	74.6
R13/403	LKD	308.1	303.0	98.3
R14/403	BEDROOM	86.6	83.9	96.9
R15/403	BEDROOM	94.8	93.0	98.1
R16/403	BEDROOM	137.7	136.5	99.1
R17/403	BEDROOM	133.9	122.6	91.6
R18/403	LKD	249.6	181.1	72.6
R19/403	BEDROOM	131.8	122.5	92.9
R20/403	BEDROOM	105.7	100.4	95.0
R21/403	KITCHEN	98.0	89.4	91.2
R22/403	LD	197.0	141.1	71.6
R23/403	BEDROOM	131.7	106.5	80.9
R24/403	BEDROOM	95.8	94.6	98.7
R25/403	BEDROOM	129.9	126.8	97.6
R26/403	LIVINGROOM	194.0	190.5	98.2
R1/404	KD	197.5	179.3	90.8
R2/404	LKD	247.5	145.5	58.8
R3/404	BEDROOM	128.8	108.0	83.9
R4/404	LKD	250.2	112.7	45.0
R5/404	BEDROOM	130.2	95.0	73.0
R6/404	LKD	250.0	100.5	40.2
R7/404	BEDROOM	130.3	96.9	74.4
R8/404	LKD	250.0	90.3	36.1
R9/404	BEDROOM	130.3	98.1	75.3
R10/404	LKD	271.6	174.2	64.1
R11/404	BEDROOM	90.3	73.1	81.0
R12/404	BEDROOM	132.8	110.0	82.8
R13/404	LKD	308.1	303.0	98.3

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R14/404	BEDROOM	86.6	83.9	96.9
R15/404	BEDROOM	94.8	93.0	98.1
R16/404	BEDROOM	137.7	136.6	99.2
R17/404	BEDROOM	133.9	124.5	93.0
R18/404	LKD	249.6	224.5	89.9
R19/404	BEDROOM	131.8	123.3	93.6
R20/404	BEDROOM	105.7	100.4	95.0
R21/404	KITCHEN	98.0	96.8	98.8
R22/404	LD	197.0	166.4	84.5
R23/404	BEDROOM	131.7	129.2	98.1
R24/404	BEDROOM	95.8	94.6	98.7
R25/404	BEDROOM	129.9	127.3	98.0
R26/404	LIVINGROOM	194.0	191.5	98.7
R1/405	KD	196.8	184.6	93.8
R2/405	LKD	247.5	171.5	69.3
R3/405	BEDROOM	128.8	125.0	97.0
R4/405	LKD	250.2	162.6	65.0
R5/405	BEDROOM	130.2	123.4	94.8
R6/405	LKD	250.0	163.8	65.5
R7/405	BEDROOM	130.3	126.6	97.2
R8/405	LKD	250.0	163.3	65.3
R9/405	BEDROOM	130.3	126.6	97.2
R10/405	LKD	271.6	207.4	76.4
R11/405	BEDROOM	90.3	88.6	98.1
R12/405	BEDROOM	132.8	129.5	97.5
R13/405	LKD	308.1	308.1	100.0
R14/405	BEDROOM	86.6	83.9	96.9
R15/405	BEDROOM	94.8	93.0	98.1
R16/405	BEDROOM	137.7	136.6	99.2
R17/405	BEDROOM	133.9	124.5	93.0
R18/405	LKD	249.6	248.7	99.6
R19/405	BEDROOM	131.8	125.3	95.1
R20/405	BEDROOM	105.7	100.4	95.0
R21/405	KITCHEN	98.0	96.8	98.8
R22/405	LD	197.0	185.8	94.3
R23/405	BEDROOM	131.7	129.2	98.1
R24/405	BEDROOM	95.8	94.6	98.7
R25/405	BEDROOM	129.9	127.3	98.0
R26/405	LIVINGROOM	194.0	194.0	100.0
R1/450	KD	147.5	142.2	96.4
R2/450	LIVINGROOM	192.2	190.6	99.2
R3/450	KD	147.5	139.3	94.4
R4/450	LIVINGROOM	192.2	187.5	97.6
R5/450	KD	145.1	122.4	84.4
R6/450	LIVINGROOM	184.6	179.2	97.1
R7/450	KD	145.1	97.2	67.0

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R8/450	LIVINGROOM	180.2	156.0	86.6
R1/451	BEDROOM	129.3	126.3	97.7
R2/451	BEDROOM	130.4	125.7	96.4
R3/451	BEDROOM	87.5	76.3	87.2
R4/451	BEDROOM	129.3	123.7	95.7
R5/451	BEDROOM	130.3	119.6	91.8
R6/451	BEDROOM	87.5	74.7	85.4
R7/451	BEDROOM	130.6	113.9	87.2
R8/451	BEDROOM	129.5	112.7	87.0
R9/451	BEDROOM	86.5	70.8	81.8
R10/451	BEDROOM	130.6	122.9	94.1
R11/451	BEDROOM	129.5	121.8	94.1
R12/451	BEDROOM	86.5	63.9	73.9
R1/452	LIVINGROOM	188.7	155.8	82.6
R2/452	BEDROOM	103.3	98.9	95.7
R3/452	BEDROOM	129.3	123.6	95.6
R4/452	LIVINGROOM	188.7	135.0	71.5
R5/452	BEDROOM	103.3	98.9	95.7
R6/452	BEDROOM	129.3	112.7	87.2
R7/452	BEDROOM	129.3	87.5	67.7
R8/452	KD	148.2	127.4	86.0
R9/452	BEDROOM	129.6	98.4	75.9
R10/452	KD	149.0	102.3	68.7

**BLOCK F2**

R1/499	KD	156.4	150.3	96.1
R2/499	KD	129.2	118.5	91.7
R3/499	KD	129.6	108.9	84.0
R4/499	KD	129.6	87.8	67.7
R5/499	KD	129.6	83.3	64.3
R6/499	KD	129.6	93.0	71.8
R7/499	KD	129.6	104.3	80.5
R8/499	KD	83.0	53.4	64.3
R9/499	LIVINGROOM	167.4	157.1	93.8
R10/499	BEDROOM	129.2	79.1	61.2
R1/500	LIVINGROOM	172.8	48.6	28.1
R2/500	BEDROOM	141.7	51.4	36.3
R3/500	LIVINGROOM	196.3	82.8	42.2
R4/500	LIVINGROOM	172.9	72.1	41.7
R5/500	BEDROOM	141.7	56.2	39.7
R6/500	LIVINGROOM	196.3	71.9	36.6
R7/500	LIVINGROOM	195.1	40.4	20.7
R8/500	BEDROOM	141.7	43.1	30.4
R9/500	LIVINGROOM	218.5	50.1	22.9

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R10/500	BEDROOM	131.7	23.1	17.5
R11/500	BEDROOM	132.0	103.6	78.5
R12/500	LIVINGROOM	189.2	176.6	93.3
R13/500	BEDROOM	134.0	125.6	93.7
R14/500	BEDROOM	129.4	125.9	97.3
R15/500	BEDROOM	140.5	123.1	87.6
R16/500	BEDROOM	133.7	116.0	86.8
R17/500	BEDROOM	129.7	97.5	75.2
R18/500	BEDROOM	140.5	101.7	72.4
R19/500	BEDROOM	133.7	96.6	72.3
R20/500	BEDROOM	129.8	88.6	68.3
R21/500	BEDROOM	140.5	105.2	74.9
R22/500	KD	277.5	106.6	38.4
R23/500	LIVINGROOM	187.0	157.9	84.4
R24/500	BEDROOM	103.7	64.0	61.7
R25/500	BEDROOM	129.8	49.8	38.4
R26/500	BEDROOM	129.3	2.9	2.2
R27/500	BEDROOM	129.1	27.3	21.1
R1/501	LD	193.3	93.1	48.2
R2/501	KITCHEN	98.5	47.3	48.0
R3/501	BEDROOM	128.7	69.8	54.2
R4/501	BEDROOM	130.9	65.2	49.8
R5/501	BEDROOM	130.9	65.2	49.8
R6/501	BEDROOM	128.7	67.5	52.4
R7/501	KITCHEN	98.5	42.4	43.0
R8/501	LD	193.3	63.8	33.0
R9/501	BEDROOM	129.5	56.9	43.9
R10/501	BEDROOM	128.8	53.5	41.5
R11/501	BEDROOM	95.3	29.5	31.0
R12/501	LD	197.3	195.3	99.0
R13/501	KITCHEN	115.1	93.7	81.4
R14/501	KITCHEN	115.8	88.4	76.3
R15/501	LD	201.0	201.0	100.0
R16/501	BEDROOM	90.4	88.7	98.1
R17/501	BEDROOM	130.4	112.3	86.1
R18/501	BEDROOM	134.4	116.4	86.6
R19/501	BEDROOM	129.4	109.9	84.9
R20/501	BEDROOM	129.1	107.1	83.0
R21/501	KITCHEN	96.6	48.2	49.9
R22/501	LD	206.4	179.7	87.1
R23/501	LD	206.4	182.3	88.3
R24/501	KITCHEN	96.6	57.1	59.1
R25/501	BEDROOM	129.1	111.1	86.1
R26/501	BEDROOM	129.2	111.1	86.0
R27/501	BEDROOM	133.7	114.0	85.3
R28/501	BEDROOM	130.7	110.8	84.8

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R29/501	LIVINGROOM	162.4	139.6	86.0
R30/501	KD	132.3	99.2	75.0
R31/501	BEDROOM	161.6	44.0	27.2
R32/501	LKD	269.6	84.8	31.5
R1/502	LD	193.7	119.6	61.7
R2/502	KITCHEN	98.5	61.4	62.3
R3/502	BEDROOM	128.7	87.6	68.1
R4/502	BEDROOM	130.6	82.4	63.1
R5/502	BEDROOM	130.9	82.1	62.7
R6/502	BEDROOM	128.7	85.4	66.4
R7/502	KITCHEN	98.5	55.6	56.4
R8/502	LD	193.3	84.4	43.7
R9/502	BEDROOM	129.5	80.5	62.2
R10/502	BEDROOM	128.8	89.4	69.4
R11/502	BEDROOM	92.4	63.6	68.8
R12/502	LIVINGROOM	172.0	166.8	97.0
R13/502	KD	143.3	117.9	82.3
R14/502	KD	140.6	110.9	78.9
R15/502	LIVINGROOM	175.4	175.2	99.9
R16/502	BEDROOM	90.4	89.5	99.0
R17/502	BEDROOM	132.2	116.7	88.3
R18/502	BEDROOM	132.4	114.8	86.7
R19/502	BEDROOM	129.3	109.4	84.6
R20/502	BEDROOM	129.1	106.9	82.8
R21/502	KITCHEN	96.2	49.6	51.6
R22/502	LD	206.4	181.6	88.0
R23/502	LD	206.4	182.4	88.4
R24/502	KITCHEN	96.6	58.4	60.5
R25/502	BEDROOM	129.1	109.1	84.5
R26/502	BEDROOM	129.3	108.1	83.6
R27/502	BEDROOM	133.6	118.8	88.9
R28/502	BEDROOM	130.6	114.0	87.3
R29/502	LIVINGROOM	162.3	146.5	90.3
R30/502	KD	132.3	108.0	81.6
R31/502	BEDROOM	161.6	84.9	52.5
R32/502	LKD	269.6	103.8	38.5
R1/503	LD	193.3	153.3	79.3
R2/503	KITCHEN	98.5	83.9	85.2
R3/503	BEDROOM	128.7	112.5	87.4
R4/503	BEDROOM	130.9	110.5	84.4
R5/503	BEDROOM	130.9	112.2	85.7
R6/503	BEDROOM	128.7	111.5	86.6
R7/503	KITCHEN	98.5	76.2	77.4
R8/503	LD	193.3	107.8	55.8
R9/503	BEDROOM	129.5	109.2	84.3
R10/503	BEDROOM	128.8	117.1	90.9

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R11/503	BEDROOM	92.4	84.3	91.2
R12/503	LIVINGROOM	172.0	170.1	98.9
R13/503	KD	143.3	122.9	85.8
R14/503	KD	140.6	115.2	81.9
R15/503	LIVINGROOM	175.4	175.2	99.9
R16/503	BEDROOM	90.4	88.6	98.0
R17/503	BEDROOM	132.2	113.8	86.1
R18/503	BEDROOM	132.4	113.5	85.7
R19/503	BEDROOM	129.4	109.9	84.9
R20/503	BEDROOM	129.1	107.1	83.0
R21/503	KITCHEN	96.6	49.1	50.8
R22/503	LD	206.4	180.5	87.5
R23/503	LD	206.4	182.8	88.6
R24/503	KITCHEN	96.6	57.1	59.1
R25/503	BEDROOM	129.1	111.1	86.1
R26/503	BEDROOM	129.4	110.9	85.7
R27/503	BEDROOM	133.7	118.7	88.8
R28/503	BEDROOM	130.7	117.4	89.8
R29/503	LIVINGROOM	162.4	151.2	93.1
R30/503	KD	132.1	118.3	89.6
R31/503	LKD	262.1	256.1	97.7
R32/503	BEDROOM	130.6	127.0	97.2
R1/504	LD	193.3	186.2	96.3
R2/504	KITCHEN	98.5	95.5	97.0
R3/504	BEDROOM	128.7	127.0	98.7
R4/504	BEDROOM	130.9	127.1	97.1
R5/504	BEDROOM	130.9	127.0	97.0
R6/504	BEDROOM	128.7	126.7	98.4
R7/504	KITCHEN	98.5	95.5	97.0
R8/504	LD	193.3	159.1	82.3
R9/504	BEDROOM	129.5	127.7	98.6
R10/504	BEDROOM	128.8	125.7	97.6
R11/504	BEDROOM	92.4	91.5	99.0
R12/504	LIVINGROOM	172.0	171.3	99.6
R13/504	KD	143.3	130.3	90.9
R14/504	KD	140.6	125.3	89.1
R15/504	LIVINGROOM	175.4	175.2	99.9
R16/504	BEDROOM	90.4	89.5	99.0
R17/504	BEDROOM	132.2	116.7	88.3
R18/504	BEDROOM	132.4	114.8	86.7
R19/504	BEDROOM	129.4	109.6	84.7
R20/504	BEDROOM	129.1	106.9	82.8
R21/504	KITCHEN	96.6	50.1	51.9
R22/504	LD	206.4	182.2	88.3
R23/504	LD	206.4	182.4	88.4
R24/504	KITCHEN	96.6	58.5	60.6



Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R25/504	BEDROOM	129.1	109.1	84.5
R26/504	BEDROOM	129.4	109.8	84.9
R27/504	BEDROOM	133.7	119.4	89.3
R28/504	BEDROOM	130.7	115.5	88.4
R29/504	LIVINGROOM	162.4	161.6	99.5
R30/504	KD	132.1	127.4	96.4
R31/504	LKD	262.1	261.8	99.9
R32/504	BEDROOM	130.6	127.0	97.2
R1/505	LD	193.3	191.9	99.3
R2/505	KITCHEN	98.5	95.5	97.0
R3/505	BEDROOM	128.7	127.0	98.7
R4/505	BEDROOM	130.9	127.1	97.1
R5/505	BEDROOM	130.9	127.0	97.0
R6/505	BEDROOM	128.7	126.7	98.4
R7/505	KITCHEN	98.5	95.5	97.0
R8/505	LD	193.3	193.2	99.9
R9/505	BEDROOM	129.5	127.7	98.6
R10/505	BEDROOM	128.8	125.7	97.6
R11/505	BEDROOM	92.4	91.5	99.0
R12/505	LD	201.1	201.1	100.0
R13/505	KITCHEN	115.1	111.3	96.7
R14/505	KITCHEN	115.9	112.4	97.0
R15/505	LD	201.0	201.0	100.0
R16/505	BEDROOM	90.4	89.1	98.6
R17/505	BEDROOM	132.2	114.2	86.4
R18/505	BEDROOM	132.4	113.5	85.7
R19/505	BEDROOM	129.4	109.9	84.9
R20/505	BEDROOM	129.1	107.5	83.3
R21/505	KITCHEN	96.6	49.1	50.8
R22/505	LD	206.4	180.5	87.5
R23/505	LD	206.4	182.8	88.6
R24/505	KITCHEN	96.6	57.1	59.1
R25/505	BEDROOM	129.1	111.6	86.4
R26/505	BEDROOM	129.4	111.0	85.8
R27/505	BEDROOM	133.7	119.3	89.2
R28/505	BEDROOM	130.7	117.7	90.1
R29/505	LIVINGROOM	162.4	162.4	100.0
R30/505	KD	132.1	129.2	97.8
R31/505	LKD	262.1	261.8	99.9
R32/505	BEDROOM	130.6	127.0	97.2
R1/506	LD	193.3	191.9	99.3
R2/506	KITCHEN	98.5	95.5	97.0
R3/506	BEDROOM	128.7	127.0	98.7
R4/506	BEDROOM	130.9	127.1	97.1
R5/506	BEDROOM	130.9	127.0	97.0
R6/506	BEDROOM	128.7	126.7	98.4

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R7/506	KITCHEN	98.5	95.5	97.0
R8/506	LD	193.3	193.2	99.9
R9/506	BEDROOM	129.5	127.7	98.6
R10/506	BEDROOM	128.8	125.7	97.6
R11/506	BEDROOM	92.4	91.5	99.0
R12/506	LD	201.1	201.1	100.0
R13/506	KITCHEN	115.1	111.3	96.7
R14/506	KITCHEN	115.9	112.4	97.0
R15/506	LD	201.0	201.0	100.0
R16/506	BEDROOM	90.4	89.1	98.6
R17/506	BEDROOM	132.2	113.8	86.1
R18/506	BEDROOM	132.4	113.5	85.7
R19/506	BEDROOM	129.4	109.9	84.9
R20/506	BEDROOM	129.1	108.1	83.7
R21/506	KITCHEN	96.6	49.1	50.8
R22/506	LD	206.4	180.5	87.5
R23/506	LD	206.4	182.8	88.6
R24/506	KITCHEN	96.6	57.1	59.1
R25/506	BEDROOM	129.1	112.2	86.9
R26/506	BEDROOM	129.4	111.0	85.8
R27/506	BEDROOM	133.7	119.4	89.3
R28/506	BEDROOM	130.7	117.9	90.2
R29/506	LIVINGROOM	162.4	162.4	100.0
R30/506	KD	132.1	129.2	97.8
R31/506	LKD	262.1	261.8	99.9
R32/506	BEDROOM	130.6	127.6	97.7
R1/550	LIVINGROOM	189.7	142.6	75.2
R2/550	LIVINGROOM	189.2	147.2	77.8
R3/550	LIVINGROOM	189.1	147.9	78.2
R4/550	LIVINGROOM	200.4	147.3	73.5
R5/550	KD	123.6	64.4	52.1
R6/550	KD	118.1	77.6	65.7
R7/550	KD	118.1	88.4	74.9
R8/550	KD	118.1	96.8	82.0
R1/551	BEDROOM	129.4	125.2	96.8
R2/551	BEDROOM	129.4	122.0	94.3
R3/551	BEDROOM	129.3	110.6	85.5
R4/551	BEDROOM	132.4	101.4	76.6
R5/551	BEDROOM	151.8	131.8	86.8
R6/551	BEDROOM	141.7	115.3	81.4
R7/551	BEDROOM	141.7	112.4	79.3
R8/551	BEDROOM	142.0	115.7	81.5

**BLOCK F3**

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R1/599	BEDROOM	131.5	46.2	35.1
R2/599	LIVINGROOM	173.1	52.4	30.3
R3/599	LIVINGROOM	173.1	47.6	27.5
R4/599	LIVINGROOM	173.1	52.9	30.6
R5/599	LIVINGROOM	173.1	64.7	37.4
R1/600	KD	142.1	38.7	27.2
R2/600	BEDROOM	138.8	0.0	0.0
R3/600	KD	142.1	34.1	24.0
R4/600	BEDROOM	138.8	0.2	0.1
R5/600	KD	141.7	33.2	23.4
R6/600	BEDROOM	138.8	5.3	3.8
R7/600	KD	141.7	73.5	51.9
R8/600	BEDROOM	138.8	20.5	14.8
R9/600	LD	288.0	178.5	62.0
R10/600	BEDROOM	123.4	53.1	43.0
R11/600	BEDROOM	131.4	38.0	28.9
R12/600	BEDROOM	86.4	33.4	38.7
R13/600	BEDROOM	131.4	33.6	25.6
R14/600	BEDROOM	86.4	20.5	23.7
R15/600	BEDROOM	131.4	32.1	24.4
R16/600	BEDROOM	86.4	31.7	36.7
R17/600	BEDROOM	131.4	31.4	23.9
R18/600	BEDROOM	86.4	25.1	29.1
R19/600	LIVINGROOM	173.4	149.9	86.4
R20/600	KD	138.7	126.2	91.0
R21/600	BEDROOM	129.5	105.4	81.4
R22/600	BEDROOM	135.7	67.8	50.0
R23/600	LD	250.2	81.6	32.6
R1/601	BEDROOM	139.2	75.7	54.4
R2/601	BEDROOM	99.6	77.2	77.5
R3/601	LKD	270.1	70.1	26.0
R4/601	LKD	256.4	87.4	34.1
R5/601	BEDROOM	129.5	107.0	82.6
R6/601	LKD	298.3	281.9	94.5
R7/601	BEDROOM	94.8	44.2	46.6
R8/601	BEDROOM	87.2	37.4	42.9
R9/601	BEDROOM	148.0	87.3	59.0
R10/601	BEDROOM	138.0	50.2	36.4
R11/601	LKD	248.2	98.7	39.8
R12/601	BEDROOM	139.0	39.1	28.1
R13/601	BEDROOM	99.4	49.8	50.1
R14/601	LKD	269.9	94.9	35.2
R15/601	BEDROOM	130.5	37.9	29.0
R16/601	LKD	263.7	215.6	81.8
R17/601	LKD	324.3	311.0	95.9
R18/601	BEDROOM	135.4	72.7	53.7

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R19/601	BEDROOM	174.6	94.9	54.4
R1/602	BEDROOM	139.1	96.6	69.4
R2/602	BEDROOM	99.6	95.5	95.9
R3/602	LKD	269.7	96.9	35.9
R4/602	LKD	255.9	132.6	51.8
R5/602	BEDROOM	129.5	120.6	93.1
R6/602	LKD	298.3	288.8	96.8
R7/602	BEDROOM	94.8	49.9	52.6
R8/602	BEDROOM	87.2	39.9	45.8
R9/602	BEDROOM	148.0	103.0	69.6
R10/602	BEDROOM	138.0	65.4	47.4
R11/602	LKD	248.2	95.1	38.3
R12/602	BEDROOM	139.0	56.0	40.3
R13/602	BEDROOM	99.4	57.6	57.9
R14/602	LKD	269.9	95.5	35.4
R15/602	BEDROOM	130.5	44.9	34.4
R16/602	LKD	264.0	233.5	88.4
R17/602	LKD	323.2	310.8	96.2
R18/602	BEDROOM	134.9	92.4	68.5
R19/602	BEDROOM	174.0	130.7	75.1
R1/603	BEDROOM	139.2	132.5	95.2
R2/603	BEDROOM	99.6	95.2	95.6
R3/603	LKD	270.1	165.0	61.1
R4/603	LKD	256.4	193.2	75.4
R5/603	BEDROOM	129.5	125.8	97.1
R6/603	LKD	298.3	294.7	98.8
R7/603	BEDROOM	97.4	57.4	58.9
R8/603	BEDROOM	104.6	61.3	58.6
R9/603	BEDROOM	121.1	93.2	77.0
R10/603	BEDROOM	145.2	82.0	56.5
R11/603	LKD	248.2	135.2	54.5
R12/603	BEDROOM	139.0	57.7	41.5
R13/603	BEDROOM	99.4	65.4	65.8
R14/603	LKD	269.9	105.1	38.9
R15/603	BEDROOM	130.5	53.9	41.3
R16/603	LKD	263.7	218.3	82.8
R17/603	LKD	323.2	321.6	99.5
R18/603	BEDROOM	134.9	127.0	94.1
R19/603	BEDROOM	173.9	166.9	96.0
R1/604	BEDROOM	139.2	134.5	96.6
R2/604	BEDROOM	99.6	95.2	95.6
R3/604	LKD	270.1	258.4	95.7
R4/604	LKD	256.4	253.5	98.9
R5/604	BEDROOM	129.5	126.4	97.6
R6/604	KD	149.9	149.3	99.6
R7/604	LIVINGROOM	173.5	172.7	99.5

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R8/604	BEDROOM	129.4	93.7	72.4
R9/604	BEDROOM	88.3	60.7	68.7
R10/604	BEDROOM	129.2	101.6	78.6
R11/604	BEDROOM	145.2	98.5	67.8
R12/604	LKD	248.2	144.1	58.1
R13/604	BEDROOM	139.0	83.2	59.9
R14/604	BEDROOM	99.4	79.4	79.9
R15/604	LKD	269.9	112.5	41.7
R16/604	BEDROOM	130.5	69.0	52.9
R17/604	LKD	263.7	235.8	89.4
R18/604	LKD	323.2	321.6	99.5
R19/604	BEDROOM	134.9	133.3	98.8
R20/604	BEDROOM	173.9	167.3	96.2
R1/605	BEDROOM	139.2	134.5	96.6
R2/605	BEDROOM	99.6	95.2	95.6
R3/605	LKD	270.1	268.9	99.6
R4/605	LKD	256.4	253.6	98.9
R5/605	BEDROOM	129.5	126.4	97.6
R6/605	KD	149.9	149.3	99.6
R7/605	LIVINGROOM	173.5	172.7	99.5
R8/605	BEDROOM	129.4	114.6	88.6
R9/605	BEDROOM	88.3	85.3	96.6
R10/605	BEDROOM	129.2	110.6	85.6
R11/605	BEDROOM	145.2	124.0	85.4
R12/605	LKD	248.2	186.9	75.3
R13/605	BEDROOM	139.0	111.2	80.0
R14/605	BEDROOM	99.4	91.5	92.1
R15/605	LKD	269.9	144.2	53.4
R16/605	BEDROOM	130.5	95.9	73.5
R17/605	LKD	263.7	231.3	87.7
R18/605	LKD	323.2	321.6	99.5
R19/605	BEDROOM	134.9	133.3	98.8
R20/605	BEDROOM	173.9	167.6	96.4
R1/650	LKD	291.1	89.3	30.7
R2/650	LKD	291.0	78.9	27.1
R3/650	LKD	291.1	75.2	25.8
R4/650	LKD	291.1	75.1	25.8
R5/650	LKD	291.1	80.1	27.5
R1/651	BEDROOM	137.3	119.2	86.8
R2/651	BEDROOM	137.3	125.3	91.3
R3/651	BEDROOM	137.3	128.3	93.4
R4/651	BEDROOM	137.3	128.7	93.7
R5/651	BEDROOM	137.3	127.2	92.6
R6/651	BEDROOM	131.5	58.1	44.2
R7/651	BEDROOM	131.5	43.9	33.4
R8/651	BEDROOM	131.5	41.0	31.2

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R9/651	BEDROOM	131.5	39.3	29.9
R10/651	BEDROOM	131.5	46.7	35.5
R1/652	LKD	290.7	163.2	56.1
R2/652	LKD	291.1	164.2	56.4
R3/652	LKD	291.1	164.1	56.4
R4/652	LKD	291.1	164.2	56.4
R5/652	LKD	291.1	163.9	56.3
R1/653	BEDROOM	137.3	125.2	91.2
R2/653	BEDROOM	137.3	131.6	95.8
R3/653	BEDROOM	137.3	132.1	96.2
R4/653	BEDROOM	137.3	133.1	96.9
R5/653	BEDROOM	137.3	131.8	96.0
R6/653	BEDROOM	131.5	119.5	90.9
R7/653	BEDROOM	131.5	118.0	89.7
R8/653	BEDROOM	131.5	116.9	88.9
R9/653	BEDROOM	131.5	116.2	88.4
R10/653	BEDROOM	131.5	115.3	87.7
R1/654	LKD	249.9	231.2	92.5
R2/654	LKD	250.2	244.0	97.5
R3/654	LKD	250.2	247.5	98.9
R4/654	LKD	250.2	246.1	98.4
R5/654	BEDROOM	130.9	128.6	98.2
R6/654	BEDROOM	130.1	127.7	98.2
R7/654	BEDROOM	130.6	126.0	96.5
R8/654	BEDROOM	129.8	127.3	98.1

**BLOCK F4**

R1/700	BEDROOM	140.1	55.6	39.7
R2/700	LIVINGROOM	135.8	126.7	93.3
R3/700	KD	117.4	43.5	37.1
R4/700	KD	136.9	102.0	74.5
R5/700	KD	137.0	94.7	69.1
R6/700	KD	137.0	98.2	71.7
R7/700	KD	137.0	103.0	75.2
R8/700	KD	137.0	88.8	64.8
R9/700	KD	137.0	100.9	73.6
R10/700	KD	140.1	67.2	48.0
R11/700	LIVINGROOM	208.5	186.2	89.3
R12/700	LIVINGROOM	202.5	164.6	81.3
R13/700	LIVINGROOM	202.5	141.7	70.0
R14/700	LIVINGROOM	202.5	116.9	57.7
R15/700	LIVINGROOM	202.5	63.7	31.5
R16/700	LIVINGROOM	202.5	61.8	30.5
R17/700	LIVINGROOM	202.5	60.1	29.7

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R1/701	BEDROOM	166.5	77.0	46.2
R2/701	BEDROOM	122.1	56.8	46.5
R3/701	KD	194.3	103.0	53.0
R4/701	LIVINGROOM	341.9	305.4	89.3
R5/701	BEDROOM	154.4	94.2	61.0
R6/701	BEDROOM	135.5	98.5	72.7
R7/701	BEDROOM	137.7	137.5	99.9
R8/701	BEDROOM	137.7	136.7	99.3
R9/701	BEDROOM	137.7	137.0	99.5
R10/701	BEDROOM	137.7	137.4	99.8
R11/701	BEDROOM	137.7	135.2	98.2
R12/701	BEDROOM	137.7	131.2	95.3
R13/701	BEDROOM	141.7	119.2	84.1
R14/701	BEDROOM	133.6	111.0	83.1
R15/701	BEDROOM	129.8	105.7	81.4
R16/701	BEDROOM	129.8	102.9	79.3
R17/701	BEDROOM	129.8	98.6	76.0
R18/701	BEDROOM	129.8	48.5	37.4
R19/701	BEDROOM	129.8	60.7	46.8
R20/701	BEDROOM	129.8	57.1	44.0
R1/702	BEDROOM	173.3	97.1	56.0
R2/702	BEDROOM	129.4	114.4	88.4
R3/702	LKD	293.9	239.1	81.4
R4/702	LIVINGROOM	157.7	115.4	73.2
R5/702	KD	138.1	87.5	63.4
R6/702	BEDROOM	131.4	96.7	73.6
R7/702	BEDROOM	131.4	106.1	80.7
R8/702	BEDROOM	139.2	116.1	83.4
R9/702	BEDROOM	129.2	118.8	92.0
R10/702	KITCHEN	103.8	91.8	88.4
R11/702	LKD	204.6	204.5	100.0
R12/702	LKD	204.8	204.7	100.0
R13/702	KITCHEN	103.9	97.0	93.4
R14/702	BEDROOM	129.3	124.7	96.4
R15/702	BEDROOM	139.4	124.6	89.4
R16/702	LKD	318.2	242.4	76.2
R17/702	BEDROOM	149.8	135.7	90.6
R18/702	BEDROOM	142.3	126.8	89.1
R19/702	BEDROOM	140.4	135.6	96.6
R20/702	LKD	255.7	122.3	47.8
R21/702	LKD	255.7	102.5	40.1
R22/702	BEDROOM	140.4	126.3	90.0
R1/703	BEDROOM	170.5	133.5	78.3
R2/703	BEDROOM	129.4	119.2	92.1
R3/703	LKD	293.9	266.1	90.5
R4/703	LIVINGROOM	157.7	141.2	89.5

Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R5/703	KD	138.6	115.7	83.5
R6/703	BEDROOM	131.4	119.3	90.8
R7/703	BEDROOM	131.4	122.4	93.2
R8/703	BEDROOM	139.4	128.6	92.3
R9/703	BEDROOM	129.3	125.1	96.8
R10/703	KITCHEN	103.9	99.0	95.3
R11/703	LD	204.8	204.7	100.0
R12/703	LD	204.8	204.7	100.0
R13/703	KITCHEN	103.9	100.5	96.7
R14/703	BEDROOM	129.3	128.0	99.0
R15/703	BEDROOM	139.4	132.5	95.1
R16/703	LKD	318.2	260.3	81.8
R17/703	BEDROOM	149.8	139.7	93.3
R18/703	BEDROOM	142.3	139.3	97.9
R19/703	BEDROOM	140.4	137.2	97.7
R20/703	LKD	255.7	185.2	72.4
R21/703	LKD	255.7	174.3	68.2
R22/703	BEDROOM	140.4	136.3	97.1
R1/704	BEDROOM	170.5	161.0	94.4
R2/704	BEDROOM	129.4	119.3	92.2
R3/704	LKD	293.9	284.9	96.9
R4/704	LIVINGROOM	157.7	157.6	99.9
R5/704	KD	138.6	129.7	93.6
R6/704	BEDROOM	131.4	130.1	99.0
R7/704	BEDROOM	131.4	130.1	99.0
R8/704	BEDROOM	139.4	135.6	97.3
R9/704	BEDROOM	129.3	128.0	99.0
R10/704	KITCHEN	103.9	100.5	96.7
R11/704	LD	204.8	204.7	100.0
R12/704	LD	204.8	204.7	100.0
R13/704	KITCHEN	103.9	100.5	96.7
R14/704	BEDROOM	129.3	128.0	99.0
R15/704	BEDROOM	139.4	132.8	95.3
R16/704	LKD	318.2	296.7	93.2
R17/704	BEDROOM	149.8	139.7	93.3
R18/704	BEDROOM	142.3	139.6	98.1
R19/704	BEDROOM	140.4	137.2	97.7
R20/704	LKD	255.7	252.2	98.6
R21/704	LKD	255.7	252.7	98.8
R22/704	BEDROOM	140.4	136.7	97.4
R1/705	BEDROOM	170.5	166.9	97.9
R2/705	BEDROOM	129.4	119.7	92.5
R3/705	LKD	293.9	284.9	96.9
R4/705	LIVINGROOM	157.7	157.6	99.9
R5/705	KD	138.6	129.7	93.6
R6/705	BEDROOM	131.4	130.1	99.0



Room/Floor	Room Use	Room Area sq ft	No-Sky Line sq ft	% Of Room Area
R7/705	BEDROOM	131.4	130.1	99.0
R8/705	BEDROOM	139.4	135.6	97.3
R9/705	BEDROOM	129.3	128.0	99.0
R10/705	KITCHEN	103.9	100.5	96.7
R11/705	LD	204.8	204.7	100.0
R12/705	LD	204.8	204.7	100.0
R13/705	KITCHEN	103.9	100.5	96.7
R14/705	BEDROOM	129.3	128.0	99.0
R15/705	BEDROOM	139.4	134.5	96.5
R16/705	LKD	318.2	310.1	97.5
R17/705	BEDROOM	149.8	139.7	93.3
R18/705	BEDROOM	142.3	139.5	98.0
R19/705	BEDROOM	140.4	137.2	97.7
R20/705	LKD	255.7	252.2	98.6
R21/705	LKD	255.7	252.7	98.8
R22/705	BEDROOM	140.4	136.7	97.4

Room	Window	Room Use	Window		Winter APSH	Room Annual APSH
			Winter APSH	Annual APSH		
<b>BLOCK H</b>						
R1/101	W1/101	BEDROOM	10	50		
R1/101	W2/101	BEDROOM	8	43	10	50
R2/101	W3/101	LKD	8	42		
R2/101	W4/101	LKD	7	40		
R2/101	W5/101	LKD	8	38	9	43
R3/101	W6/101	BEDROOM	7	25		
R3/101	W7/101	BEDROOM	1	14	7	27
R4/101	W8/101	LKD	2	10		
R4/101	W9/101	LKD	2	13		
R4/101	W10/101	LKD	10	43		
R4/101	W11/101	LKD	13	47	13	48
R5/101	W12/101	BEDROOM	10	42	10	42
R6/101	W13/101	LKD	14	47	14	47
R7/101	W14/101	LKD	12	45		
R7/101	W15/101	LKD	15	49		
R7/101	W16/101	LKD	0	11		
R7/101	W17/101	LKD	0	12	15	50
R8/101	W18/101	BEDROOM	0	12		
R8/101	W19/101	BEDROOM	0	12	0	12
R9/101	W20/101	LKD	0	2		
R9/101	W21/101	LKD	0	4	0	5
R10/101	W22/101	BEDROOM	0	5		
R10/101	W23/101	BEDROOM	0	6	0	6
R1/102	W1/102	LKD	2	14		
R1/102	W2/102	LKD	2	11		
R1/102	W3/102	LKD	4	12		
R1/102	W4/102	LKD	3	3	5	20
R2/102	W5/102	BEDROOM	5	5		
R2/102	W6/102	BEDROOM	17	52	17	52
R3/102	W7/102	BEDROOM	17	50		
R3/102	W8/102	BEDROOM	17	50	17	50
R4/102	W9/102	BEDROOM	18	50		
R4/102	W10/102	BEDROOM	18	51	18	52
R5/102	W11/102	BEDROOM	18	51		

Room	Window	Room Use	Window		Winter APSH	Room Annual APSH
			Winter APSH	Annual APSH		
R5/102	W12/102	BEDROOM	0	3	18	51
R6/102	W13/102	LKD	4	4		
R6/102	W14/102	LKD	0	12		
R6/102	W15/102	LKD	0	13		
R6/102	W16/102	LKD	0	13	4	17
R7/102	W17/102	LKD	0	13		
R7/102	W18/102	LKD	0	2	0	13
R8/102	W19/102	BEDROOM	0	2	0	2
R9/102	W20/102	BEDROOM	0	7	0	7
R10/102	W21/102	BEDROOM	0	10	0	10
R11/102	W22/102	BEDROOM	0	10	0	10
R12/102	W23/102	LKD	0	10		
R12/102	W24/102	LKD	0	8	0	11
R13/102	W25/102	BEDROOM	0	1	0	1
R14/102	W26/102	LKD	0	4	0	4
R15/102	W27/102	LKD	0	1	0	1
R16/102	W28/102	BEDROOM	0	0	0	0
R17/102	W29/102	LKD	1	8		
R17/102	W30/102	LKD	1	13		
R17/102	W31/102	LKD	3	25	4	38
R18/102	W32/102	BEDROOM	3	23	3	23
R19/102	W33/102	BEDROOM	2	22	2	22
R20/102	W34/102	BEDROOM	2	22	2	22
R21/102	W35/102	BEDROOM	2	22	2	22
R22/102	W36/102	LKD	2	22		
R22/102	W37/102	LKD	21	52		
R22/102	W38/102	LKD	21	64	22	70
R23/102	W39/102	BEDROOM	19	56	19	56
R24/102	W40/102	LKD	19	44	19	44
R25/102	W41/102	LKD	20	50	20	50

Room	Window	Room Use	Window		Winter APSH	Room Annual APSH
			Winter APSH	Annual APSH		
R26/102	W42/102	BEDROOM	18	57	18	57
R27/102	W43/102	LKD	18	41		
R27/102	W44/102	LKD	17	57	19	64
R28/102	W45/102	BEDROOM	15	63	15	63
R29/102	W46/102	BEDROOM	13	59	13	59
R30/102	W47/102	BEDROOM	12	54	12	54
R31/102	W48/102	BEDROOM	9	44	9	44
R32/102	W49/102	LKD	10	42		
R32/102	W50/102	LKD	9	29	10	45
R1/103	W1/103	LKD	4	17		
R1/103	W2/103	LKD	3	13		
R1/103	W3/103	LKD	4	13		
R1/103	W4/103	LKD	3	3	5	21
R2/103	W5/103	BEDROOM	7	7		
R2/103	W6/103	BEDROOM	19	53	19	53
R3/103	W7/103	BEDROOM	19	50		
R3/103	W8/103	BEDROOM	18	50	19	51
R4/103	W9/103	BEDROOM	18	50		
R4/103	W10/103	BEDROOM	18	50	18	51
R5/103	W11/103	BEDROOM	18	48		
R5/103	W12/103	BEDROOM	0	4	18	48
R6/103	W13/103	LKD	4	4		
R6/103	W14/103	LKD	0	14		
R6/103	W15/103	LKD	0	14		
R6/103	W16/103	LKD	0	14	4	18
R7/103	W17/103	LKD	0	13		
R7/103	W18/103	LKD	0	2	0	13
R8/103	W19/103	BEDROOM	0	4	0	4
R9/103	W20/103	BEDROOM	0	11	0	11
R10/103	W21/103	BEDROOM	0	11	0	11
R11/103	W22/103	BEDROOM	0	8	0	8

Room	Window	Room Use	Window		Winter APSH	Room	
			Winter APSH	Annual APSH		Winter APSH	Annual APSH
R12/103	W23/103	LKD	0	5			
R12/103	W24/103	LKD	0	7	0		8
R13/103	W25/103	BEDROOM	0	0	0		0
R14/103	W26/103	LKD	0	6	0		6
R15/103	W27/103	LKD	0	2	0		2
R16/103	W28/103	BEDROOM	0	2	0		2
R17/103	W29/103	LKD	1	11			
R17/103	W30/103	LKD	1	13			
R17/103	W31/103	LKD	2	19	3		35
R18/103	W32/103	BEDROOM	4	27	4		27
R19/103	W33/103	BEDROOM	4	26	4		26
R20/103	W34/103	BEDROOM	4	26	4		26
R21/103	W35/103	BEDROOM	2	18	2		18
R22/103	W36/103	LKD	5	29			
R22/103	W37/103	LKD	24	46			
R22/103	W38/103	LKD	23	69	25		74
R23/103	W39/103	BEDROOM	21	56	21		56
R24/103	W40/103	LKD	21	44	21		44
R25/103	W41/103	LKD	22	49	22		49
R26/103	W42/103	BEDROOM	19	61	19		61
R27/103	W43/103	LKD	21	43			
R27/103	W44/103	LKD	21	57	22		64
R28/103	W45/103	BEDROOM	19	62	19		62
R29/103	W46/103	BEDROOM	17	65	17		65
R30/103	W47/103	BEDROOM	14	63	14		63
R31/103	W48/103	BEDROOM	10	53	10		53
R32/103	W49/103	LKD	11	44			
R32/103	W50/103	LKD	9	29	11		47
R1/104	W1/104	LKD	4	23			

Room	Window	Room Use	Window		Winter APSH	Room Annual APSH
			Winter APSH	Annual APSH		
R1/104	W2/104	LKD	4	15		
R1/104	W3/104	LKD	6	15		
R1/104	W4/104	LKD	3	3	6	27
R2/104	W5/104	BEDROOM	6	6		
R2/104	W6/104	BEDROOM	15	34	15	34
R3/104	W7/104	BEDROOM	14	39		
R3/104	W8/104	BEDROOM	15	40	15	40
R4/104	W9/104	BEDROOM	16	34		
R4/104	W10/104	BEDROOM	14	33	16	35
R5/104	W11/104	BEDROOM	13	32		
R5/104	W12/104	BEDROOM	0	3	13	32
R6/104	W13/104	LKD	3	3		
R6/104	W14/104	LKD	0	15		
R6/104	W15/104	LKD	0	15		
R6/104	W16/104	LKD	0	16	3	19
R7/104	W17/104	LKD	0	15		
R7/104	W18/104	LKD	0	14	0	15
R8/104	W19/104	BEDROOM	0	13	0	13
R9/104	W20/104	BEDROOM	0	11	0	11
R10/104	W21/104	BEDROOM	0	9	0	9
R11/104	W22/104	BEDROOM	0	1	0	1
R12/104	W23/104	LKD	0	4		
R12/104	W24/104	LKD	0	8	0	8
R13/104	W25/104	BEDROOM	0	8	0	8
R14/104	W26/104	LKD	0	10	0	10
R15/104	W27/104	LKD	0	11	0	11
R16/104	W28/104	BEDROOM	1	15	1	15
R17/104	W29/104	LKD	2	16		
R17/104	W30/104	LKD	2	19		
R17/104	W31/104	LKD	2	19	4	38
R18/104	W32/104	BEDROOM	4	27	4	27
R19/104	W33/104	BEDROOM	4	27	4	27

Room	Window	Room Use	Window		Winter APSH	Room Annual APSH
			Winter APSH	Annual APSH		
R20/104	W34/104	BEDROOM	4	27	4	27
R21/104	W35/104	BEDROOM	2	18	2	18
R22/104	W36/104	LKD	5	30		
R22/104	W37/104	LKD	26	76		
R22/104	W38/104	LKD	25	75	26	76
R23/104	W39/104	BEDROOM	25	75	25	75
R24/104	W40/104	LKD	25	75	25	75
R25/104	W41/104	LKD	25	74	25	74
R26/104	W42/104	BEDROOM	24	71	24	71
R27/104	W43/104	LKD	23	68		
R27/104	W44/104	LKD	22	67	23	68
R28/104	W45/104	BEDROOM	18	57	18	57
R29/104	W46/104	BEDROOM	22	47	22	47
R30/104	W47/104	BEDROOM	18	59	18	59
R31/104	W48/104	BEDROOM	15	63	15	63
R32/104	W49/104	LKD	11	55		
R32/104	W50/104	LKD	10	48	11	55
R1/105	W1/105	LKD	6	22		
R1/105	W2/105	LKD	7	23		
R1/105	W3/105	LKD	12	26	12	40
R2/105	W4/105	BEDROOM	12	26	12	26
R3/105	W5/105	LKD	13	25	13	25
R4/105	W6/105	LKD	11	25		
R4/105	W7/105	LKD	0	16		
R4/105	W8/105	LKD	0	16	11	30
R5/105	W9/105	BEDROOM	0	16		
R5/105	W10/105	BEDROOM	0	16	0	16
R6/105	W11/105	BEDROOM	0	14	0	14
R7/105	W12/105	LKD	0	14		
R7/105	W13/105	LKD	0	8		

Room	Window	Room Use	Window		Winter APSH	Room Annual APSH
			Winter APSH	Annual APSH		
R7/105	W14/105	LKD	6	32		
R7/105	W15/105	LKD	6	32	6	46
R8/105	W16/105	BEDROOM	6	32		
R8/105	W17/105	BEDROOM	6	32	6	32
R9/105	W18/105	BEDROOM	6	32		
R9/105	W19/105	BEDROOM	6	32	6	32
R10/105	W20/105	BEDROOM	6	32		
R10/105	W21/105	BEDROOM	5	31	6	32
R11/105	W22/105	BEDROOM	5	31		
R11/105	W23/105	BEDROOM	5	31	6	32
R12/105	W24/105	LKD	5	31		
R12/105	W25/105	LKD	6	29		
R12/105	W26/105	LKD	25	51		
R12/105	W27/105	LKD	23	71	26	77
R13/105	W28/105	BEDROOM	15	66	15	66
R14/105	W29/105	BEDROOM	4	34		
R14/105	W30/105	BEDROOM	4	26	4	34
R1/106	W1/106	LKD	26	76		
R1/106	W2/106	LKD	26	76		
R1/106	W3/106	LKD	13	28	26	89
R2/106	W4/106	BEDROOM	13	28	13	28
R3/106	W5/106	LKD	14	27	14	27
R4/106	W6/106	LKD	12	26		
R4/106	W7/106	LKD	0	16		
R4/106	W8/106	LKD	0	16	12	31
R5/106	W9/106	BEDROOM	0	16		
R5/106	W10/106	BEDROOM	0	16	0	16
R6/106	W11/106	BEDROOM	0	16	0	16
R7/106	W12/106	LKD	0	15		
R7/106	W13/106	LKD	0	15		
R7/106	W14/106	LKD	6	32	6	47
R8/106	W16/106	BEDROOM	6	32	6	32
R9/106	W18/106	BEDROOM	6	32		
R9/106	W19/106	BEDROOM	6	32	6	32



Room	Window	Room Use	Window		Winter APSH	Room Annual APSH
			Winter APSH	Annual APSH		
R10/106	W20/106	BEDROOM	6	32	6	32
R11/106	W22/106	BEDROOM	6	32		
R11/106	W23/106	BEDROOM	6	32	6	32
R12/106	W25/106	LKD	6	32		
R12/106	W26/106	LKD	27	62		
R12/106	W27/106	LKD	28	78	28	79
R13/106	W28/106	BEDROOM	28	79	28	79
R14/106	W29/106	BEDROOM	26	77		
R14/106	W30/106	BEDROOM	26	77	26	77
R1/107	W1/107	LKD	28	78		
R1/107	W2/107	LKD	28	78		
R1/107	W3/107	LKD	13	28	28	91
R2/107	W4/107	BEDROOM	13	29	13	29
R3/107	W5/107	LKD	14	27	14	27
R4/107	W6/107	LKD	13	27		
R4/107	W7/107	LKD	0	16		
R4/107	W8/107	LKD	0	16	13	32
R5/107	W9/107	BEDROOM	0	17		
R5/107	W10/107	BEDROOM	0	17	0	17
R6/107	W11/107	BEDROOM	0	17	0	17
R7/107	W12/107	LKD	0	16		
R7/107	W13/107	LKD	0	10		
R7/107	W14/107	LKD	6	32	6	48
R8/107	W16/107	BEDROOM	6	32		
R8/107	W17/107	BEDROOM	6	32	6	32
R9/107	W19/107	BEDROOM	6	32	6	32
R10/107	W20/107	BEDROOM	6	32		
R10/107	W21/107	BEDROOM	6	32	6	32
R11/107	W23/107	BEDROOM	6	32	6	32
R12/107	W25/107	LKD	6	32		
R12/107	W26/107	LKD	26	52		
R12/107	W27/107	LKD	28	76	28	79

Room	Window	Room Use	Window		Winter APSH	Room Annual APSH
			Winter APSH	Annual APSH		
R13/107	W28/107	BEDROOM	28	79	28	79
R14/107	W29/107	BEDROOM	28	79		
R14/107	W30/107	BEDROOM	28	79	28	79
R1/108	W1/108	LKD	28	78		
R1/108	W2/108	LKD	28	78		
R1/108	W3/108	LKD	13	28	28	91
R2/108	W4/108	BEDROOM	13	29	13	29
R3/108	W5/108	LKD	14	28	14	28
R4/108	W6/108	LKD	13	27		
R4/108	W7/108	LKD	0	17		
R4/108	W8/108	LKD	0	17	13	33
R5/108	W9/108	BEDROOM	0	17		
R5/108	W10/108	BEDROOM	0	17	0	17
R6/108	W11/108	BEDROOM	0	17	0	17
R7/108	W12/108	LKD	0	16		
R7/108	W13/108	LKD	0	16		
R7/108	W14/108	LKD	6	32		
R7/108	W15/108	LKD	6	32	6	48
R8/108	W16/108	BEDROOM	6	32	6	32
R9/108	W18/108	BEDROOM	6	32		
R9/108	W19/108	BEDROOM	6	32	6	32
R10/108	W20/108	BEDROOM	6	32	6	32
R11/108	W22/108	BEDROOM	6	32		
R11/108	W23/108	BEDROOM	6	32	6	32
R12/108	W24/108	LKD	6	32		
R12/108	W26/108	LKD	27	62		
R12/108	W27/108	LKD	28	78	28	79
R13/108	W28/108	BEDROOM	28	79	28	79
R14/108	W29/108	BEDROOM	28	79		
R14/108	W30/108	BEDROOM	28	79	28	79
R1/109	W1/109	LKD	28	78		
R1/109	W2/109	LKD	28	78		
R1/109	W3/109	LKD	13	28	28	91

Room	Window	Room Use	Window		Winter APSH	Room Annual APSH
			Winter APSH	Annual APSH		
R2/109	W4/109	BEDROOM	13	29	13	29
R3/109	W5/109	LKD	14	28	14	28
R4/109	W6/109	LKD	13	28		
R4/109	W7/109	LKD	0	17		
R4/109	W8/109	LKD	0	17	13	33
R5/109	W9/109	BEDROOM	0	17		
R5/109	W10/109	BEDROOM	0	17	0	17
R6/109	W11/109	BEDROOM	0	17	0	17
R7/109	W12/109	LKD	0	16		
R7/109	W13/109	LKD	0	10		
R7/109	W15/109	LKD	6	32	6	48
R8/109	W16/109	BEDROOM	6	32		
R8/109	W17/109	BEDROOM	6	32	6	32
R9/109	W19/109	BEDROOM	6	32	6	32
R10/109	W20/109	BEDROOM	6	32		
R10/109	W21/109	BEDROOM	6	32	6	32
R11/109	W23/109	BEDROOM	6	32	6	32
R12/109	W24/109	LKD	6	32		
R12/109	W25/109	LKD	6	32		
R12/109	W26/109	LKD	26	52		
R12/109	W27/109	LKD	28	76	28	79
R13/109	W28/109	BEDROOM	28	79	28	79
R14/109	W29/109	BEDROOM	28	79		
R14/109	W30/109	BEDROOM	28	79	28	79
R1/110	W1/110	LKD	28	78		
R1/110	W2/110	LKD	28	78		
R1/110	W3/110	LKD	13	28	28	91
R2/110	W4/110	BEDROOM	13	29	13	29
R3/110	W5/110	LKD	14	28	14	28
R4/110	W6/110	LKD	13	28		
R4/110	W7/110	LKD	0	18		
R4/110	W8/110	LKD	0	18	13	33
R5/110	W9/110	BEDROOM	0	18		